CRPL-F 255 PART B

FOR OFFICIAL DISTRIBUTION

Library, A 7 Back

Reference book not to be taken from the library.

PART B SOLAR - GEOPHYSICAL DATA

ISSUED

NOVEMBER 1965

U.S. DEPARTMENT OF COMMERCE ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION INSTITUTE FOR TELECOMMUNICATION SCIENCES AND AERONOMY (FORMERLY CENTRAL RADIO PROPAGATION LABORATORY) BOULDER, COLORADO



30 Nov. 1965

ENVIRONMENTAL SCIENCE SERVICES ADMINISTRATION INSTITUTE FOR TELECOMMUNICATION SCIENCES AND AERONOMY (FORMERLY CENTRAL RADIO PROPAGATION LABORATORY) BOULDER, COLORADO

SOLAR - GEOPHYSICAL DATA

CONTENTS

(i) Revisions to Descriptive Text

I DAILY SOLAR INDICES

- Relative Sunspot Numbers and 2800 Mc/s Solar Flux September, October 1965
- Graph of Sunspot Cycle

IL SOLAR CENTERS OF ACTIVITY

- Calcium Plage and Sunspot Regions October 1965
- (b) Magnetic Classifications of Sunspots (Mt. Wilson) - October 1965
- (c) Provisional Coronal Line Emission Indices - October 1965

III SOLAR FLARES

- (a-d) Optical Observations - October 1965
- (e) Flare Patrol Observations - October 1965
- Optical Observations June 1965 (f-o)
- Flare Patrol Observations June 1965 (p) Optical Observations - July 1965
- (q-u) Flare Patrol Observations - July 1965 (v)
- (w)
- Solar X-ray Average Flux and Outstanding Events (NRL) May 1964 Ionospheric Effects (SWF-SEA-SCNA-SPA-SES-SFD-Bursts) - September 1965 (x)
- (y) 30 Mc/s - Riometer Events (Great Whale River) - September 1965

IV SOLAR RADIO WAVES

- (a) 2800 Mc/s Outstanding Occurrences (ARO-Ottawa; DRAO-Penticton) - October 1965
- (b)
- 2800 Mc/s Selected Radio Noise Bursts October 1, 2, 1965
 223 Mc/s Interferometric Occurrences (Boeing-Seattle) October 1965 (c)
- (d)
- 169 Mc/s Outstanding Occurrences (ESSA-Boulder) October 1965 (e)
- (f) 107 Mc/s Outstanding Occurrences (Haleakala, Hawaii) - October 1965
- 25-320 Mc/s (Fort Davis) July, August, September 1965 (g-h)
- 7.6-41 Mc/s Spectral Observations (HAO-Boulder) October 1965 (i) (j-o)
- 9.1 cm Spectroheliograms (Stanford) October 1965 21 cm East-West Solar Scans (Fleurs) October 1965 (p)

V COSMIC RAY INDICES

- Neutron Monitors (Churchill Climax Dallas) September 1965
- Neutron Monitor (Deep River) September 1965 (b)

VI GEOMAGNETIC ACTIVITY INDICES

- C, Kp, Ap and Selected Quiet and Disturbed Days September 1965
- Chart of Kp by Solar Rotations 1965 (b)

VII RADIO PROPAGATION QUALITY INDICES

- (a) CRPL Quality Figures and Forecasts - North Atlantic and
- North Pacific September 1965
- Craphs Comparing Forecasts and Observed Quality -(b)
 - High Latitude September 1965
- Graphs of Useful Frequency Ranges September 1965

VIII ALERT PERIODS AND SPECIAL WORLD INTERVALS

(a) IQSY Alert Periods - October 1965

The descriptive text was republished in November 1964. Addenda have been given in the introduction to each of the CRPL-F Part B reports, December 1964 through October 1965.

169 Mc/s, Nançay, France:

Beginning with the chart for October 1965 the flux density for the storm centers is no longer given on an arbitrary scale. Therefore the indicated numbers are not comparable to those of preceding years.


Fleurs, Australia:

East-west solar scans from the 21 cm solar radio array of the University of Sydney are presented beginning with October 1965 data. The fan-beam has 2' of arc resolution. The two short horizontal lines drawn crossing the center line indicate the coldsky level and the estimated quiet-sun level. The gain may differ from day to day. The curves have not been normalized to account for these gain variations other than the indication of the estimated quiet-sun level.

Sept. 1965	American Relative Sunspot Numbers R _A '
1	15
2	17
3	19
4	19
5	16
6	21
7	21
8	19
9	19
10	18
11	17
12	21
13	18
14	12
15	11
16	10
17	5
18	4
19	2
20	1
21	0
22	0
23	14
24	14
25	12
26	15
27	13
28	21
29	35
30	41
Mean:	15.0

Oct. 1965	Zürich Provisional Relative Sunspot Numbers R _Z	Flux at Ottawa F	lues Solar 2800 Mc, , Canada lux
		S	SA
1	59	92.0*	92.2
2	73	93.2	93.3
3 4	65 74	96.0 9 7.5 *	96.1
5	74 68	97.5**	97.5
	00	91.0	91.6
6	39	85.2	85.1
7	27	83.6	83.5
8	7	82.8	82.6
9	8	83.3	83.0
10	13	80.4	80.1
11	8	76.0	75.7
12	9	74.8	74.5
1 3	8	75.8	75.4
14	7	74.7	74.3
15	0	73.8	73.3
16	0	72.3	71.8
17	0	72.5	72.0
18	0	72.2	71.6
19	10	71.8	71.2
20	12	72.7	72.0
21	15	73.3	72.6
22	26	76.2	75.4
23	23	78.7	77.9
24	16	76.3	75.5
25	24	77.9	77.0
26	17	78.2	77.3
27	11	78.0	77.0
28	9	77.2	76.2
29	8	76.7	75.6
30	8	76.2	75.1
31	14	78.1	76.9
Mean:	21.2	79.6	79.1

^{*} Corrected for bursts



PREDICTED AND OBSERVED SUNSPOT NUMBERS

OCTOBER 1965

	LAT.	MCMATH	RETURN			CALCIUM PLA	GE DAT	`A		9	UNSPOT	DATA
OCT. 1965		PLAGE NUMBER	OF REGION	CMP VA AREA	INT	HISTORY	AGE (ROTA- TIONS)	DATE FIRST SEEN	DURA- TION (DAYS)	AREA	COUNT	HISTORY
2.0 2.1 2.7 2.8 3.3	S19 N26 S25 N23 N31	8012 8002 8004 8005 8008	New New New New New	(1100) (200) 1200 3900 (100)	(3.5) (1.0) 2.5 3.5 (1.0)	b	1 1 1 1	10/3 9/25 \(\leq \text{9/27}\) \(\geq \text{9/27}\) \(\geq \text{9/29}\)	> 4 6 >10 >10 >10 2	(100) 10 270	(16) 3 87	b ∧ ℓ b - d ℓ ∧ ℓ
3.3 4.0 4.7 5.9 6.3	NO 1 N3 9 N14 N2 6 NO 6	8013 (1) 8015 (1) 8010 (1) 8006 8016 (1)	New New New 7971 New	100 (200) (200) 1200 200	1.0 (1.5) (1.5) 2.0 2.0	b - d b - d b - d l \land l b - d	1 1 1 2 1	10/3 10/6 10/2 9/28 10/6	1 1 1 14 1			
6.6 7.8 8.1 8.4 8.8	S33 N33 N09 S06 N13	8009 8014 8021 8020 8017(1)	New New New New New	500 (100) (200) (200) (100)	3.0 (1.0) (2.0) (1.5) (1.0)	l - l b - d b - d b - d b - d	1 1 1 1	9/30 10/4 10/11 10/11 10/6	13 2 2 2 2	(10)	(1)	b - d
9.7 11.9 13.8 14.2 14.6	S23 N17 N05 N39 N20	8022 8025 (1) 8028 (1) 8030 (1) 8024 (1)	New New New New New	(200) (300) (100) (100) (300)	(1.5) (2.0) (2.0) (2.0) (2.0) (1.0)	b - d b - d b - d b - d b - d	1 1 1 1	10/12 10/14 10/16 10/18 10/13	2 1 1 1 1			
14.8 15.4 16.4 19.1 20.1	S03 N22 S06 N11 N25	8023 (1) 8018 (2) 8019 8026 (1) 8027 (3)	New New New New 7989	(200) 1000 (100) (100) (300)	(1.0) 3 (1.5) (1.5) (1.5)	b - d β ∧ k k \ d b - d β - d	1 1 1 1 3	10/13 < 10/10 10/10 10/15 10/15	1 >10 4 1 ≥ 3	(10)	(2)	l - d
20.1 20.1 21.1 22.0 23.7	NO8 N23 N30 N08 S27	8031(1) 8032 8036(1) 8044(1) 8029	New New New New New	100 300 (200) (100) (500)	2.0 3 (1) (1.0) (1.5)	b - d b ∧ ℓ b - d b - ℓ b \ d	1 1 1 1	10/19 10/19 10/24 10/28 10/17	1 8 1 1	10	4	Ь∧ℓ
23.7 23.8 25.2 25.7 26.9	N13 S16 N24 S16 N28	8038(1) 8045(1) 8046 8039(1) 8037	New New New New New	(200) (100) (200) 100 400	(1.5) (1.5) (1.0) 1.5 3.0	b - d b - d b - d b - d b - d	1 1 1 1	10/25 10/28 10/28 10/25 10/24	1 1 2 1 7	(10)	(1)	b - d
27.2 27.5 28.2 28.4 29.1	S09 S02 N18 N30 S16	8050 8048(1) 8033 8040(1) 8034	New New New New 8012	(200) (100) 300 (100) 1300	(3.0) (2.0) 2.0 (1.0) 2.0	b - d b - d b - d b - d	1 1 1 2	$ \begin{array}{r} 10/31 \\ 10/30 \\ \leq 10/23 \\ 10/25 \\ < 10/23 \end{array} $	2 1 ≥ 8 1 >12	(10) 60	(2)	b - d ℓ ∧ ℓ
29.8 30.3 31.1 31.2	S26 N25 S31 N10	8041(4) 8035 8047(4) 8042	8004 8005 8004 New	300 2200 200 600	2.0 3.0 1.0 2.0	ℓ - d ℓ / ℓ ℓ - d ℓ ∧ ℓ	2 2 2 1	10/23 10/23 < 10/28 10/25	10 >12 > 3 13	(20)	(13)	b - d

⁽¹⁾ These small and ephemeral plages were seen on the disk for only one day.(2) Region 8018 is primarily a new plage, although it also contains some weak remnants of region 7983 of the previous rotation.

⁽³⁾ Region 8027 contains remnants of part of region 7989.
(4) Regions 8041 and 8047 are parts of region 8004.

No calcium plage observations were secured at the McMath-Hulbert Observatory on October 1, 7, 8, 9, 20, 21, 22, 1965.

OCTOBER 1965

OCT. 1965	TIME MEAS. UT	LAT.	MER. DIST	TYPE	No.	OCT. 1965	TIME MEAS. UT	LAT.	MER. DIST.	TYPE	No.
1	1720	N20 N36	E14 W36	γ βf	15957 15960	15	No Obs.				
2	1755	N2 1	E02	Y	15957	16-18	No Spots				
					1	19	No Obs.				
3	1845	N22 S18	W11 W27	βγ βf	15957 15961	20	1440	N2 1	W08	βр	15966
4	1805	N20 S20	W26 W39	βp βf	15957 15961	21	2240	N21	W28	βр	15966
		N23 S33	E10 E25	βf β	15962 15963	22	1930	N22	W38	βр	15966
5	1845	N21	W40	βр	15957	23	1600	N22 S17	W49 E67	β p α p	15966 15967
	1045	S2 0	W54	βf	15961	24	1845	N22	W72		15966
_		S34	E14	αf	15963	24	1043	S17	E52	αp	15967
7	0010	N21 S20	W57 W70	β p β p	15957 15961			N2 9	E30	βf	15968
7	1705	N21	W66	β	15957	25	1550	S16 N21	E40 E21	αp αf	15967 15968
8	1705	N20	W 80	αp	15957	26	2 13 5	S17	E23	βр	15967
9	1045	N18 N09	E72 W75	αp	15964 15965	27	16 15	S17	E13	βр	15967
10	, ol	NO9	W/3	αp	13903	28	1830	S16	W03	αp	15967
10	No Obs.		=			29	1715	S16	W16	αp	15967
11	1900	N18	E47	αр	15 964	30	2335	S17	W32	αp	15967
13	0030	N18	E30	αр	15964	31	1730	S17	W42	αρ	15967
13	2220	N19	E18	αр	15964						,
14	No Spots										

PROVISIONAL CORONAL LINE EMISSION INDICES

OCTOBER 1965

The Coronal Indices will be published at a later date because the microdensitometer is undergoing repairs.

OCTOBER 1965

REMARKS CFHIJK H CFHI CEFHIJ 0 I BS E I S S S E 18 19 76 24 30 17 170 170 19 20 504 MAX INT 2.90 2.00 09.4 1.70 MAX WIDTH Ha 2.30 6.00 2.87 .30 .34 .25 2.10 1.50 6.67 .33 .16 .16 .80 .44 .70 .70 .53 2.40 2.00 1.30 .87 1 • 08 • 85 1 • 10 4 • 92 3 • 10 3 • 50 2 • 08 2 • 08 2 • 00 3 • 50 3 • 50 3 • 50 4 • 92 3 • 10 5 • 00 6 • 00 7 • 00 8 • 00 AREA q Deg .34 .17 .80 .34 .70 .70 2.63 .30 .34 .25 2.10 1.50 6.72 2.33 2.00 1.20 .87 1 . 10 1 . 10 1 . 10 2 . 40 3 . 50 2 . 12 2 . 12 3 . 50 3 . 50 3 . 50 3 . 50 5 . 12 5 . 12 5 . 12 5 . 12 6 . 12 7 . 12 8 . 12 3.67 MEAS AREA q. Dog 1709 2042 2026 1053 1255 1250 1251 1255 1416 1415 1418 1626 1812 0952 1249 1227 1229 1232 1957 OBS. 400040 440 20 IM: POR: م م ۵ ۵ ۵ ۵ DURA. 101 63 75 47 42 39 40 180 30 34 35 19 McMATH PLAGE REGION 80005 80005 80005 80005 80005 80005 80005 8005 8005 8012 8012 8012 LOCATION E08 E10 E11 E01 E01 E01 W12 W12 W27 W27 W27 E36 E36 W17 W18 W31 W28 E24 E20 E25 E23 E24 E17 E17 E19 E15 E06 E08 E12 E12 E10 E09 E09 E08 E06 E05 E07 MER. DIST E03 E05 APPROX. NN22 NN22 NN21 NN21 NN25 SS22 SS22 SS22 NN30 NN30 SS32 SS32 SS32 N19 N21 S24 S23 S20 S20 \supset \supset 1416 1520 1745 2119 2204 2206 2300 1710 1709 2042 1622 1626 1622 1622 1814 MAX. 1053 1420 1416 1415 2330 2037 OBSERVED UNIVERSAL TIME Δ ۵۵ \supset 0810 11120 11120 11120 11202 11302 11302 11302 11402 1 0705 0829 0849 1422 1556 1756 2038 2223 2223 1345 1235 1239 1255 1314 1317 1718 1714 2205 0722 0850 1235 1008 யய யய ш шш ш 0645 0812 0840 1413 1509 1742 1742 1956 2119 2200 2300 0715 0845 0935 0938 11140 1205 1209 1216 1216 1257 1707 1708 2026 START bcr 1965 01 01 01 01 01 01 KAND WROC CAPS WEND SALO HUAN HUAN SACP SACP ONDR WEND ONDR CAPS KANZ OBSERVATORY

OCTOBER 1965

	PEMARKS	CARAMIA												_	Δ	00		0	0	0		COO			0	DH		۵		يا لـ		۵	0		_	L		: <u>:</u>			ш			۵						
Ţ	MAX	17				Δ	_	_	_				18			_	16					,	0				18				20			17	-		200	-	_	21		20	30	_	17	20	0 7			_
ŀ	MAX		На						2	0						2.00																																		
-		1EA	Sq Deg		12.00								444		• 20		• 43	• 25				7.6	1 0 0 1	77.	• 33		• 43	• 30	1.56	0 0	040	• 30	• 20	• 60	1 6.2	1046	00 - [0 9	000	8.8	09.	• 30	040	• 20	0 / 0	0 70	• • •			
	MEAS	AREA	Sq Deg.										444		.20		• 43	• 25				1 27	1001	77.	633		• 45	• 30	1.024		040	•30	•20	09.	1 • 000 F	- 0 4		0000	9 8 8	* 85	.50	• 30	040	•20	11.	• 30	* *			
-	TIME	1	T D						2113	CTTT					1322	1323		1348		_			1437	- -	1449			1614	7 1 7 1	1651	1722	1720	1718		1 / 4 3	200	8 0	000	85		1919	2063	2052	2049	1	2250	0667			-
COND	COND								r	n			U		U	8	U	U					L ()	U			1 P) (L Q.	. ()	U) (U 1	 ⊣	1 0	. (7 0		U	1 D	U		2 C	a 1	J (<u> </u>			
_	POH.	TANCE		+	2+		1	1,	1 1		I ,	i		1	1-	1	1-	1-	1	1,	1 ,	1 -			1	-]-	+ ,	I ,	 -	1-	1-	1-	۱,	1				1-	1-	1-	1-	1	1-	١,			2		1
DOUN.	TION	1	MINUTES	6	83 D						_															0 6									-													59 D		
	McMATH	PLAGE	REGION	8012	8012	8008	8008	8009	0000	0000	8008	8008	8005	8005	8005	8012	8008	8005	8005	8005	8003	2100	000	8005	8005	8005	8005	8005	8002	8005	8005	8005	8008	8005	8000	0000	8005	8005	8005	8005	8005	8005	8005	8005	8002	8000	0000		8005	3000
Ī	XC	MER	DIST	W32	W28	E28	E 28	E 28	87 M	177	E 28	W13	W17	W17	w18	W32	W18	w18	W17	424 724	9 6	7 C M	0 0	W13	W19	W17	W19	W20	77M	W 2 0	W19	W21	W16	W20	T Z M	W 7.0	613	W21	W20	W21	W 2 1	W23	W21	W22	W 22	W / O	1 7 M	E45	M39	7817
	APPROX	LAT		521	520	532	534	534	NZL	N. L.Y	531	N 20	N21	N20	N21	520	N21	N21	N 20	N22	77N	020	T Z N	N 20	N21	N20	N21	N22	NZN	N22	N22	N21	N22	N21	178	N 2 2	N 2 1	N 2 2	N21	N21	N22	N21	N22	N22	N 20	77N	177	N23	N24	1 C N
		MAX	PHASE										1322		1322		1346	34				7	1430	1	1449		1617	1614	1656		1722	1720	1718	1720	1010	0101	1852	1854	1856	1859	1919	2036	2052	2049	2022	2350	0000			
	UNIVERSAL TIME	END			1108 D		2660	1014	1032	1000	1230	1325	1335	1325	1327	1333	1353	1353	1351 D		1402	1400		1455	1452	1457		1619 D	1,06	1703	1732	1729	1730	1731	1820	1824	1912	1905	1911	1915	1924	2040	2102		7026 U	27.00	004	0828	0938	270
	n	START		941	0945 E	046	6760	1002	1100 F	KOT	1220	1317	1318	1319	320	1321 E	1342	345	1347 E	34/	1320	1,32	1436	1445	1446	1448 E	1612	1613	242	1649 E	715	1716	1716	1716	(1)	1805 F	846	1848	1849	1849	1917	2032	2045	048	2053 E	2345	t	29 E	924	7
1	1	5	1965	04	40	04	04	400	4 5	5 0	40	40	40	0.4	04	04	04	0.4	0.4	40	4 0	1 3		0 4	04	04	04	40	2 0	0 4	04	0.4	0.4	40	3 6	1 4	0.4	40	04	40	0.4	0.4	04	40	4 .	1 4	7	90	0.5	3
	OBSERVATORY	CESTAVALORI		MONT	WEND	KANZ -	MEND	Q (2 W I 3 ∃	¥ C	2000	KAND	WEND	SACP	KANZ	HUAN	ONDR	SACP	HUAN	KANZ	KANZ	WE'N'	N N N N N N N N N N N N N N N N N N N	T N N	WEND	HUAN	KANZ	SACP	MCMA	DACE TARE	MOMA	LOCK	HUAN	MCMA	SACP	4575	NATH	LOCK	MCMA	HUAN	SACP	MCMA	LOCK	LOCK	MCMA	SACE	- COCK	2	KANZ	KEND:	WEND

OCTOBER 1965

-	RK S	7							_				_																					
	REMARKS			ш		ш		LKL	_					;	3 ,	۵				0	_	BFL BFL	ш			H C	7		Ε̈́		۵		6	2
	MAX	,°	19		20		16	ć	07	0 0	20		, I		17			16	15								18	20		20	1	12	14	
	WIDTH	Ha																			2.40	2 • 80												
MEASUREMENTS	CORR	Sq Deg.	.93	• 42	• 30	• 50	1.52	0,0	000		0 0		• 4		1.65						5.98		. 60			- 20	. 50 00	040	• 60	• 30	.30	• 16	• 42	V
[]	MEAS	Sq Deg	• 85	• 38	•30	040	1.38	• 60	000	0 0	• 50		67.	6	.85	• 30		• 25	• 34	en en	4.08		• 60			. 20	• 59	. 30	• 60	• 30	9.30	•16	• 42	02.
	TIME	L D		1754	1755	1753	-	2015	7	2	2210				121	160/				2048	0750	0840	1919			1507))	2025	2043	2152	2145			1161
OBS.		j	U	۵.			J (J (, (, (, _U	()	C	7 ()			U	U U	۵	2	ММ	3 C			-		UL	1 P		- Δ	U	V	L
Σ	POR.		1-1	1-	1-			1 -	1 -	1 -	1-1		<u> </u>	1 1.						1-	2 2	+ +	-1	1			1-		-		1-	1-		
DURA.	NOIL 1	MINUTES																			98 D 133 D													
	PLAGE	REGION	8012	00	00	000	000	300	200	3 8	0.1	0	0000	8005	8005	8008	8005	8005	8005	8005	8018	01	8018	8018		03	03	8032	03	0 3	03	03	8032	n O
LOCATION	APPHOX.	DIST	¥50								W 25	-	0	E 68					W81 W83		E42		W04	₩28				E01				E01	W10	3
	LAT		S17 N20	N22	N27	NZI	NZO	N 2 2	NZO	N 1 7	518		N 2 2	N23 N26	N20	27N	N24 N21	N18 N21	N21 N21	2	N21 N20	N19 N19	N22	N14	524	N21	N21	N21 N22	N22	N 2 1	N22	N21	N21	V
	MAX	PHASE	1756		1755	1753	2015	2012	2133	2122	2210	,	0767		1607	1001		1607	1837				1919			1507	2023	2025		2152		2248	1511	
OBSERVED	END END		11 3 2 1818	1801	1803	1801	2028	2020	2021	2138	2215	,	6667	0822 D	1613	1614	0820	0958 D 1612	1846		0908 D 0954 D	0930	1936	1254	1231 D	1358	2040	2041	2043 D	2209	2145 D		1524	0 0
	START		1118 1742	1751 E	1751	7677	2010	2010	2105	2116	2205		7767	0805 E		1001	0808	0924 1603			0730 E 0741 E		1918	1235	1200 E		2013	2013	2035 E	2141	2143 E	2228	1507	`
DATE	0CT	1965	05	0.5	0.5	00	000	0 0	0 0	0 0	0.5	70	3	07	0 0 0	ò	08	0 8	08	80	12	12	15	17	19	19	19	19	19	16	19	19	20	2
	OBSERVATORY		WEND	HUAN	LOCK	MCMA	SACE	4 E C C	100 L	1001	LOCK		276	MONT	SACP	HOAN	WEND	SACP	SACP	HUAN	KAND	WROC	MCMA	WEND	KAND	X ANZ M C M S	SACP	HUAN	MCMA	SACP	HUAN	SACP	SACP	


OCTOBER 1965

•	X S																			
	REMARKS		LΙ		_	۔ ا	۵			CD6	900			ш		۵	۵	ш		
2	INI			20	17	17		17 20	4	175		20 20 16			20				15	
2	WIDTH Ha									1.60	1.40									
MEASUREMENTS	AREA Sq Deg	• 20	4 • 00	2.11 3.00 4.81	3.33	1.00	• 65	. 40		.50		.20 .50 1.25	2.29	.30	. 500	• 20	• 25	. 85	•21	
	MEAS. AREA Sq. Deg	•20		1.20	1.52	1.91	• 50	w w w)	• 30		.20	1.60	• 30	.50	• 20	• 25	. 80	•21	
Travel	IIME	1709		1715	2230	3 1	1455	2240	<u>,</u>	1000	0760	1610	0905	1128	1756	1756	1434	1749		
OBS. COND.		U		U U (, U C	<i>1</i>	U	UUL	,	тт	8	000		U	UU	U	U	U	U	
Ė	POR.	1-						1 1 1		1 1 1	1 !	1 1 1		-1-		1-	- 1	1 -	1-	
DURA.	<i>v</i>		15 D 20 D 11	30	443	Q 9		•	31 D				31	0 91)					
	PLAGE	8032	8032 8032 8032	8034	8034	8034	03	8035	0 4 0 3	8033	8032	8033	8034	8034	8037	8034	8034	8035	8034	8051
LOCATION	MER	1	0 W32 0 W36 0 W35					6 E 8 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		0 E35 5 E56	0 4	9 E08 8 W50 7 E25	r a	7	7 w11 6 E14	œ	7 W02	- 1-	1 W14	3 E89
-	LAT.	N N	N 20 N 20 N 20	51	100		N N	N N N N N N N N N N N N N N N N N N N	2 2	N N N N N N N N N N N N N N N N N N N	N Z	N N N N N N N N N N N N N N N N N N N	SI	Si	N2 S1	S	S1	N2 N	52	N N
	MAX	1709		1602	2226	2355 U 2359	1455	1516 2240 2239		0951		1610 2020 2035	0902	1128	1756	1756	1434	1749	1929	0611
OBSERVED	END	1717	0933 D 1350 1405	1612 1735 1728	2258	2355 D 0005	0 4	1522 22554 2309	1343	1005	2 02	1617 2053 2045	0917 0922 D		1801	1800	1436	1802	1933	0728
	START	1707	0918 E 1330 E 1354	1558 1705 1707	2215	2349	1453	1511 2233 2235	1312 E 1400 E	0936 E	1339 E	1607 2003 2031	0917	1126 1130 E	753	1755	1430	0.10	1926	0558 E
DATE	DCT 1965	20	22 22 22 22	22 22 22 22	22	22	23	2333	24	25	25	26 26 26	27	27	27	27	28	28	29	31
•	OBSERVATORY	HUAN	WEND KANZ KANZ	SACP	SACP	SACP	HUAN XAN7	SACP	KANZ	ONDR CAPS KAN7	ONDR	LOCK LOCK SACP	KAND	HCAN NON	LOCK	HUAN	HUAN	HUAN	SACP	KAND

INTERVALS OF NO FLARE PATROL OBSERVATIONS PROVISIONAL

OCTOBER 1965

HOUR-UT



Observatories included:

Capri-S (Sweden) Catania Herstmonceux Huancayo Istanboul Kandilli Kanzelhöhe Lockheed McMath-Hulbert Monte Mario Ondrejov Sacramento Peak Salonique Tortosa Wroclaw

	REMARKS		рен			EHT	L	DI I	L	ш		0		ī	<u> </u>		E Y			D.F.	· Š			L	5	Ш		10	20				L	Ш			۵				ш
	MAX	INT	126)						140									_	_						194				_			0 6 6	r)						1.8	
		-											-		-						1.90															_					
	MAX	WIDTH He																								_				_										_	
MEASUREMENTS	CORR.	AREA Sq. Deg.	. 15	. 4.3		• 30	• 21	. 20	•	• 40	1,11			•42		• 36			• 40	. 20		• 20			96	2.00	1.30	9.		• 45	. 60		4	•						• 25	. 3
×	MEAS.	AREA Sq Deg	.12	. 39		• 30	8 0	. 20		74.	1.01			• 42		.36			•	9 6		• 20		000	96	1.80	1.20	09.		• 24	• 60		· · ·	† •		36	.30			• 26	• 30
	TIME	T n	0629	0812		30	63	2025	,	0637	0160			1159		1237			1241	1242	1241	1305	1	1337	1338	1345	1338	141/	-	1625	2017		7000	7		~	1230				1418
OBS.	COND.		2 5	ım		U (7 0	c	ν)	6	6	(M)	2	u)	1 0	m	,) (2	U				. 2	U	J) (2 C		ţ	n			2 0			U	1 0
×Ξ	POR-	TANCE		1-		Ι,	1 ,	1 -		1 ,	1 -	- [1-	-	<u> </u>	-	1-	+ ,	1 [1-	1 –	٦,	1 [1	_	٦,			1-	1-		1 1		7	1 1	1-1	1 -		1	1
DURA.	TION	MINUTES													α			24					16			12 D									35			0	01		
z	McMATH	PLAGE	7840	7840	7840	7840	7070	7840	0	xo c	7840	00	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7840	7841	7840		4 4	2 4	84	7840	8 4	8 4	7842	7840	7840
LOCATION	APPROX.	MER. DIST	E36	ш	ш	ш	יו ע		Ĺ	7 7	E22																			× 6		Y	E12								
	APP	LAT.	510	808	510	512	SII	\$12	(202	800	\$12	\$12	511	SIS	511	512	511	212	517	510	512	511	217	510	\$10	508	512	\$10				512	512	510	511	526	S10	S12	510	\$10
	-1	MAX. PHASE	0940				1010	2025	0.00	0637				1159					1747	1240		1305	0	1337	1338		1338				2017		0905				1230			1419	1418
OBSERVED	UNIVERSAL TIME	END	0640 0		1204		1649 U	2035	0	0.880	1010 D	1649	1101	1207	1205	1313 D	1315	1247	1253	1244	1251 D	1311	1318	1341	1341	1349 D	1356	1437	1525 D	628	2030	0022	0918		1229	1230 D		1230	1250 D	1440	1441
		START	0600 E				1630 E	2010	30 711	650	0910 E	1030	1059	1150	115/ 1218 E		1222	1223	1229	1237	1239 E	1259	1302	1335	1336	1337 E	1337		1521 E		2014	OC 1 2	0901 0937 F		1154	1217	1217	1223	1235	1415	1415
DATE	2	1965 1965	00	01	010	0.5	7.0	0.0		20	02	0.2	0.2	20	7 0	0.2	0.2	0.2	2 0	02	0.2	0.2	02	200	0.2	0.2	02	0 0 2	0.2	0.5	000	70	03	030	03	n m	03	03	0 0	03	03
	OBSERVATORY		CATA	ARCE	KAND	AC T	HUAN	MCMA	V E V	CALA	ARCE	UCCL	NCCL	011A	KAND	OTTA	TOON —	KAND	X X X	HCAN	ONDR	CLMX	KAND	HUAN	OTTA	CAPS	CAPE	KANZ	KANZ	OTTA	HALE		KAND	- KAND	KAND	ATTO	MCMA	X AND	KAND	SACP	MCMA

	3KS																						_												_								
	REMARKS			۵	HO	I	T		I				HO	I		Ĭ				I	w	LL LLJ		ш				△ <	E 4	. 0	\neg	C	5	7	ı,		n						
	MAX		0					00	4		19			10	19	10									22			1	0	159		182	00										
	MAX.	Ha					_																	-				C	00.0														
MEASUREMENTS	CORR	Sq Deg	26	.16	• 20	• 30	06.	. 25	02.	. 20	000	. 80	• 20	• 30	• 5]	08.		90	09.	• 36	O I o	U 7 •		. 60	D.01	•	04.	0 -) · F	0.14		0 to 1	27	1.40	06.	00.0	0 0	,					
ME	MEAS.	Sq. Deg	3.5	.15	• 20	• 30	• 30	•26	- 20	. 20	9.39	.80	• 20	• 30	.50	1 m		. 80		• 36	• 10	07.		• 50	1.50	•	. 30	0T•	0	2.24	• 70	07.	. 52	• 76	∪ † •	• 30	0 1 0						
	TIME	Tn		1545	1544	1740	C + / T		1747	1802		1940	2216	2216	0	2346		0523		1146	1926	1930		1403	1816	5	0042	0152	01/0	0703	0654	1333	1	1331	1333	1806	1809	,					
OBS.	COND			, ()		2 .		U		3		2 0		U	U (J ()		m	2	1	C'		2		00	,	2 0) >		۵.	7 ~) () V ^						
Ä	POR.	TANCE		1-	-				-	-	1-	1-	1-	- 1	1			1-	1-	1-	1-	-	1-	7.	1 1	4				2	,	1 -	-	1-	1-					1 -	1 1		
DURA.	NOIL	MINUTES																										Ç	0	09	40 D											6	
	McMATH	REGION	7842	7842	7842	7842	746/	7840	7842	7842	7840	7840	7840	7840	7840	7840		7842	7842	7840	7842	7842	7845	7840	7842	1	7842	7847	7845	7845	7845	7842	7842	7842	7842	7842	7842		7.840	7840	7840	7845	
LOCATION	X.	DIST	C C M	W20	W22	W22	774	WC 4	W22	W23	E03	E03	M04	M04	£03 1 €03	¥04	-	W29	M30	w10	M37	₩32	E90	W25	003		95%	1 X Y Y Y	E CO	£84	E85	E 5 7	W6.1	W61	W62	W65	W 0 W		0 9	0 4	t 15	E621	
ā	APPROX.	1				512		506	512	513	512	512				513		511							512												512		512	514	010	N20	
	> 2	PHASE	1544	1545	1544	1740	1761	1748	1747	1802	1940	1940	2216	2216	2217	2346	AC ACA	_			1926	1930		1403	1813		0042	2410		0703			1331	1331	1333	1806	1809					_	
OBSERVED	UNIVERSAL TIME	END	1555	1557	1610	1743	1001	1755	1750	1809	1943	1941	2221	2224	2226	2352		0537	0636	1154	1940	2205	1329	1440	1834		0000	0210	0649	0730	0733	1345	1344	1347	1342	1812	0591		0918	0928		9460	
	Too To	SIARI				1736		1744	1746	1755	1934	1937	2213	2213	2213	2344	11.25	U523 E	0624	1143	1915	1922	1309 E	1345	1807) H	0039	0010	0630		0653 E		1327	1327	1330	1804	2358		9060	906	0910	0937	
DATE	- N	1965	60	03	03	60	2 5	0 0	03	03	60	03	03	0.3	e c	0.00	**	1 7	70	70	40	40	0.5	0.5	0 5)	90	90	900	93	90	90	90	90	90	90	0 0	, ,	0	2 0	2 -	0.7	
	OBSERVATORY		SACE	HUAN	MCMA	HALE	A < 1	SACP	HALE	HALE	SACP	HALE	MCMA	LOCK	SACP	LOCK		ATHN	BUCA	OTIA	HALE	MCMA	CAPF	MCMA	SACP		HALE	TACE	I KOM	CATA	CAPE	NEL X	SACP	CAPE	MCMA	HALE	HALE		KAND	KAND	MEND KAND	KAND	

5)																_	_																															
REMARKS						ш		I										C	¥ lı		()	tul			Œ.	0	L.I		H H						L	ų.	<u> </u>	V	HO									A	Ţ
1	MAX					185			20	0 0	7 0	0										133							-										96									7.0	-
	MAX	Ha																																					1.58									4.10	1
	COKH	Sq Deg	-	0T + 7		3.00	2000	4 - 23	- 74		00		06.		6 • 00	1.40	.56		1.60		3.50	œ		1.70	5	(07.	0 0	0 0	. 75	1.40	.50		0	^	4 • 40	•	2.40	2.10							(•	14.20	
	MEAS.	Sq Dog	0	000		2.00		3,00		36	17	- (•	1	0.40	00	000	.60	1.00		1.40	4		. 80		,	0 T •	0 4	0 4	. 50	06.	.20	• 10	. 60	07.	2.20	0 2 • 7	2	1.20	.80	3	-20	. 70	.10	• 20	07.	100	1.90	2
2000	IIME	T D	0.00	n 		1045		1049				210%	7121	4	0054	0000	0054	0119	0248		0255	0759		6560			1520	1657	1700	1701	1702	1712	1733	1947	6777	2220	t t 7	N	N	2309	(C)	0007	0017	0117	0125	0148	0306	0300	0337
COND			· ·)		2		2			, () (U	2 C	-	Ų	2 C		V	3		U	2	,	J (2 .			-	<i>)</i>	1 0	>	1 0			10						1 C
	POR-	TANCE	-	+	- 1	-	+	-	, –	, ,			- I	4	2	-	1		1-		1	1	7		٦,	1,	1 -	1 [1	1-	1-	1	1-	1 .	1 ,		4	1	1	7	-	-	ţ	1-	1,		-		1-
DURA.	200	MINUTES	3.2	22	- 7	4	7	19 D							28						7.8														٢	77 7			19 D	20							7	245 D	
	MCMATH	REGION	7 8 7.0	7840	7840	7.840	7840	7840	7847	7847	7 7 0 7	0 7 2 7	7842	J	78	84	7847	84	84		7847	7848	7842	7847	7847	10.70	1841	7867	7847	7847	7847	7848	7848	1 84 /	1070	7847	+	α	94	7848	4 8	8 4	7848	84	9 4	\$ t	7 00	84	84
200	. Y	MER	0.50	200	643	W48	M46	7 4 M	F 7 3	FAG	1 (9 3	1 1	0 0 0 0 3 3	\	9	- 40	E65	30	0		E65	×65	06%	E 5 9	E59	2 (201	1 U	E63	E61	E59	14.75	W 80	707	0 4	000	1/1	E60	E50	W85	W85	20 20 20 20	W85	¥85	1 KB 1	1 K K U	1 00	×86	W85
VOdda.	APPR	LAT		511	717	513	512	5111	N 2 3	NO	N 2 7	M 2 7	2 2	1	N 2 2	N20	6 I Z	512	N21		N22	N25	513	N21	ς Ν Ν	N 2 5	222	N N	N 2 3	N19	N20	N25	N25	2 2	777	N 2 C) 1	N23	N 2 2	N 25	N24	N 2 4	N24	N 24	N 24	2 Z Z	N 24	N26	N24
		PHASE	5	1039)				1600	2010	7105	7071	7131	4	0054	0055	0054	0119	0248	0318	0251	0759		6986				1657	1648	1701	1702	1712	1733	2220	7353	7747	2250			2309	32	2000	0017	0117	0125	0148	0306)	0337
HALVEDORI TIME	DIMINERSAL HIME	C V C	1102	1100	1054 D	106	100	110/ D	507	2028	2110	2110	2203)	0112	0145	0107	0127	0355			0851 D	0941		1032 D		1530	1711		1712	1724	1724	1739	2009	23.00		1771	24	303	2322	33	6000	0030	0119	0132	0.00	0320	U711 D	
		START	1.221	1031	0 0	1042 €	543	148	0000	2012	1017	2017	2124	1	0044	0045	0047 E		0229			J 130 E	0935		U951 E		151/	1624	1640	1656	1659 E		1728	1945	0777	2238	1	2239	2244	2302	2324	0000	00100	0114	0123	0140	0304	C306 E	333
DAIE	T N I	1965	7	5 0	5 6	0.7	0.7	0.7	0.7		- 1) :	2 0		8	20	00	90	90	80	80	0.8	3	20 :	800	0 :	° č	2 0	ж О	80	0.8	90	90	0 0	0 a	9 2	80	0.8	90	0.8	0 8	60	60	60	200	000	60	60	60
	■ OBSERVATORY		7 4 0 5	AAND	XAND	CAPS	GNEW	CAPF	SACP	(1) V	SACP		HALL	1	CULG	HALE	MANI	CULG	HALE	HALE	COLG	CATA	KAND	CAPE	BUCA	KANZ	A S S S S S S S S S S S S S S S S S S S	OTTA	MCMA	CLMX	HALE	HALE	HALE	HALE		HALF	HALE	MCMA	IKOM	HALE	HALE	HALE	HALE	HALE	HALE	HALL F	HALE	TACH	HALE

TANCE	000	PLAGE	PLAGE	14T MFD PLAGE	LAT. MER PLAGE	MAX. LAT. MER PLAGE
	200		REGION	DIST REGION	PHASE DIST REGION	DIST REGION
	~ ~ ~	7	7 68W	413 N27 W89 7	0413 N27 W89 7	0416 0413 N27 W89 7
1- 2		7848	848	061U N24 W88 7848	061U N24 W88 7848	D 0610 N24 W88 7848
	~	7847 52	E50 7847 52	0638 N22 E50 7847 52	D 0638 N22 E50 7847 52	0651 D 0638 N22 E50 7847 52
2+ 2		7847	E45 7847 75	N22 E45 7847 75	N22 E45 7847 75	E 0715 N22 E45 7847 75
+		7847	E47 7847	E47 7847	U641 N22 E47 7847	0735 U641 N22 E47 7847
2	,00	7847	E50 7847 75	638 N21 E50 7847 75	0638 N21 E50 7847 75	E 0720 0638 N21 E50 7847 75
1+ 2	_	7847	E44 7847 28	N23 E44 7847 28	N23 E44 7847 28	N23 E44 7847 28
2 6	_	7847 23	F49 7847 23	N22 E48 /84/ 40	N22 E48 /84/ 40	0701 N20 E48 7847 40
2		7847	E45 7847 35	E45 7847 35	N19 E45 7847 35	E 0727 N19 E45 7847 35
		7847 38	E50 7847 38	N21 E50 7847 38	N21 E50 7847 38	E 0750 N21 E50 7847 38
			× × × × × × × × × × × × × × × × × × ×	N25 W88 7	N25 W88 7	E 0724 N25 W88 7
1-		7848	W90 7848	N26 W90 7848	D N26 W90 7848	E 0716 D N26 W90 7848
	2	7848	W88 /848 30	0/44 N2/ W88 /848 30	0/44 NZ/ W88 /848 30	F 0801 D 0744 N27 888 7848 30
	_	7848 40	W85 7848 40	U745 N22 W85 7848 40	D 0745 N22 W85 7848 40	U819 D U745 N22 W85 7848 40
0 0		7848 2	W88 7848 28	0743 N25 W88 7848 28	3 N25 W88 7848 28	0808 0743 N25 W88 7848 28
+		7848 15	W88 7848 15	0751 N29 W88 7848 15	0751 N29 W88 7848 15	0802 0751 N29 W88 7848 15
-		7848	W88 7848	W88 7848	N29 W88 7848	0817 N29 W88 7848
2		784G 29 D	W85 /846 29	509 W85 / 84G 29	SO9 W85 /84G 29	SO9 W85 /84G 29
	7.	7848 25	W88 7848 25	N28 W88 7848 25	N28 W88 7848 25	E 0903 N28 W88 7848 25
		7848 5	W88 7848 5	NZ8 W88 7848 5	N28 W88 7848 5	0910 NZ8 W88 7848 5
		_	E55 7847	E55 7847	0910 N24 E55 7847	0922 0910 N24 E55 7847
		7845	E51 7845	E51 7845	N18 E51 7845	0919 N18 E51 7845
1		_	W90 7848	W90 7848	0923 N28 W90 7848	0933 0923 N28 W90 7848
		7	7 06%	7 06%	N28 1890	1041 N28 W90 7
I I		7848	06%	06%	N20 W30 Z	1256 N26 W90 7
3		7	7 06*	N21 1490 7	N21 1490 7	1539 N21 W90 7
1-		7848	7 68%	7 68%	N26 W89 7	1750 N26 W89 7
_				N 2 3 100 7	1856 N23 490 7	7 00% NOW
-		7	7 06 M	N23 W90 7	1909 N23 W90 7	1913 1909 N23 W90 7
7		7	9 2 0 € №.	9 2 0 € №.	1942 N24 w30 78	1947 1942 N24 W30 78
-1			25 3490 7	1948 N25 W90 7	N25 W90 7	1955 1948 N25 W50 7
_		7878	- 1	1040 N20 N09	740 N 1940 NS0 NO3 -	200 C 1940
			2	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1956	9261
			7 68%	1957 N26 W89 7	7 N26 W89 7	E 1957 D 1957 N26 W89 7
		_	7 06M	2045 N23 W90 7	046 D 2045 N23 W90 7	2046 D 2045 N23 W90 7
		7 20	7.89	NZ6 W89 78	138 2124 N26 W89 78	2138 2124 N26 W89 78
7 0 2			06%	2212 N25 W90 78	0 2219 N25 W90 78	2227 D 2219 N25 W90 78
		784	7	2220 N26 W89 784	230 2220 N26 W89 784	230 2220 N26 W89 784
1-1		7848	N26 W89 7848	W89	N26 W89 7	55 UOZ5 NZ6 W89 7

	ω ×																																							-		-	
	REMARK										, T	٠.					_										H911) ii	n A .r		70	¥ tt		# [1]	E to to					T			
>4 2	INT				99											(, -	,		C			ř	-	-			148	0				2								110			
×	WIDTH	Ho																																						2.50			
CORP	AREA	Sq Deg	1.30	1.90	C 13 C	000					. 80	0.5	(() () () ()	1 (.	(e)	() (b)	(,,,)			C †		9 6	. 63	0 7	T > •	1.37					3.10		06.	2.20	. 50	• 20		4.21	7.10		2.10	99.
	AREA	Sq Deg	1 • 00	1.40	1 · 7 O	70.					• 60	0.73	() ()) d		C .	C.	0.4	0.00	(C)	• 30	0.0 0.0	0 0	0.00	0.7	•	.26	0 0	1.00	1 • 20		10.10		m on •	2.00	.50	• 20		06.5	09.9		2.10	• 60
TIME	-	10	0834	0902	0911						1322	14741	0	101V	2.51	2231	2231	96.00	00000	0400	1709	7.5	0	38	2008	3	0706		1200	(C)		1753		1753	75	1848	93		0324	0327		0326	m
COND			U		7 [-1					J () () -	<i>)</i> t i	1 (1	2 3	-	<i>,</i> ()	w C		0 () (4		2 0	ال	3 0		. ~		(J Q.		U		1 D			>	U		2	2 C
Ε g	TANCE									4 /	+	1 -	1		1 ~4			- 1	1	-	1		1 -				1 ,	1 -	-		_ ,			- [r=4	1-	- 1		1+	2		1	
DURA	1	MINUTES			26 5	47	16	56	1.7	,																	C	n n			54 D	27 5			16				59	128 D		0 0 D	
M-M-M	PLAGE	REGION	7847	1841	7847	7840	7843	7848	7843	0.587		3 2 2 2	107	7 0 7 7	7847	7845	7847	7847	7847	1841	7847	7847	7.047	7847	7847	2 20 7	7847	704	7847	7847	7847	1847		/ 56 /	ω	7847	7847		7847	7847		7847	7847
TOCK	MEB.	DIST	E38	1 C C C C	0 0 0	0063	30%	063	∪ : ⊙ :0 ≩ :) .] .	7.30	2 9	0 1	100	1 67	Els	5 C E	73	122	E27	525	E 2 2 2		E23	0 0	0 7 0	275	h a	П () () ()	E06	E02	1 1 1 1 1 1 1 1 1	(J)	E03	E00	E06		w02	E00		6 O M	W] 4
APPROX	LAT		N22	N 2 2	777	511	\$ C Z	42N	N27	775	30	2 0 0	ZZN	+ E	2 2 2	222	N 2 2	N 3	N 1 8	M22	2 N	\$ Z \$ Z	N 2 3	3 Z Z	Z	2	N 2 2	7 % Z	. N	N 22	222	N 2 2 N	1	2 2 2	N23	N 19	N 2 6	D A T	N23 v	N24		N 2 1	N 2 1
	MAX	PHASE	Ud34	7000			101/			7 77 1	1555	£ 1 \$ 1	141	2000	2051	2231	2231	0.058	0000	040	17.39	1/10	2,1,8	2008	2008	0007	0700	1155	1200	1157		1753	1754	1753	1758	1848		NO FLARE	0306	0309	0363	0320	2331
UNIVERSAL TIME	CN3		0855	0924	09.50	7960	1027	1130	1255	115	1400	1610		2002	2100	2237	2240	0119	0108	0415 D	1715	1716		2015	2018	7107	0726	1215	1213	1210	1650	1910	1	1281	1925	1854 D	1937		356	206		0430	
J	START		0832		1 0000 E	0000	1011	1034	1138	7611	1540	16.20		2000	2043	2228	2228	00.54	0055	U355	1707	1707	2001	2002	2002	0007	0637	1152	1153	154	1556 E	1748	ŗ	1/43	1748	1840	1926	3		∪258 E		U3∪0 E	2318
DATE	JUNE	1965	2	2 7	2 5		10	≟,	2) :		2 :	2 -	7 -	0 0	70	10	1	1	1	11	7 -			 	7	12	12	17	1.2	27	12	1.2	12	12	12	12					13	
	OBSERVATORY		CAPE	CAPE	CAPS	- KAND	AAND	KANU	KAND	DNAND	Z C Z	MORA	M C	HAIT	LOCK	LOCK	HALE	HALE	LOCK	MALE	MCMA	SACE		MCMA	HALE		CATA	AMOM	011A	CAPE	ZARZ	HALE	HALE	H H A N A N A N A N A N A N A N A N A N	MOMA	HALE	HALE		KODA	TACH	I ACH	MANI	HALE

SOLAR FLARES JUNE 1965

•	REMARKS			۵ »	GL EG	CFGHKL BAGH G CD CDG	u. I ui	H X H H G G
	MAX	-	0	17 155 17 10	10	182	1 8	117
	MAX	На						
MEASUREMENTS	CORR	Sq Deg	000000000000000000000000000000000000000	1.39	.20 4.80 9.00	2.80 1.92 1.15 1.15 2.80 2.80 1.60	000 277 46 41 6	0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0
ME	MEAS.	Sq Deg	0000	1.52	.20	1.30 2.30 3.30 3.30 3.30 3.30	1	
	TIME	L D	2335 2335 0007 2358	1033	0025	0751 0805 08105 08105 0836 0842	1224 1932 2046 1037 1130 1409 1424 1635	0608 0815 1139 1140 1258 1425 1730
OBS.	COND		000	4 4 0 0 0	S 2 2	. 133555 33 133555 555		100 000
×	POR.	TANCE	1111	1 1 1 1 1	1 + 1 2 1 5		111 111111	11 11111
DURA.	TION	MINUTES			0 71 0 55 0 50 0 50	37 D 82 D 10 D 40 D		22
_	McMATH	REGION	7847 7847 7847	7847 7847 7847 7847	7858 7860 7847 7847	7847 7847 7847 7847 7847 7847 7847 7847	4 4 8 8 4 4 4 8 8 4 4 4 8 8 4 4 4 8 8 4 4 4 8 8 4 4 4 8 8 4	7863 7863 7865 7867 7865 7865 7863
LOCATION	APPROX.	DIST	× × × × × × × × × × × × × × × × × × ×	W W Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	E E E E E E E E E E E E E E E E E E E	2	W37 W07 W29 W47 W40 W40 W40 W40	W W W W W W W W W W W W W W W W W W W
Ц	APP		N 23 N 22 N 22 N 21	N N S 3 N N N S 3 N N N S 3 N N S 3 N N N S 3 N N N S 3 N N N S 3 N N N S 3 N N N N	ZSZZZ	N N N N N N N N N N N N N N N N N N N	X X X X X X X X X X X X X X X X X X X	\$229 \$229 \$229 \$229 \$229 \$229 \$229 \$229
		PHASE	2335 2335 0007	0000 1033 1558 1558 1745	0025	0 8 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1932 2046 1037 1408 1409 1424 1635	0608 1139 1140 1258 1623
OBSERVED	UNIVERSAL TIME		0020 2341 6023 0020	0020 U 1057 1606 1607 1915	0032 0801 0830 0826 0840	0817 0902 0804 0828 0849 0849 0849 0912 0912 0932 0916 0934 1155	1235 D 1953 2107 2107 1044 11409 D 1425 D 1415 D 1640	0615 D 0850 D 1157 1158 1320 D 1312 D 1312 D 1633
	START		2320 2333 2352 2357 E	0000 E 1028 E 1554 1554 1700	0020 0744 E 0735 0735 0736	0.740 E 0.740 E 0.801 C 0.805 C 0.830 E 0.832 E 0.835 E 0.836 E 11.28 E	1212 1929 2045 E 1037 1402 1402 1422 1633	0605 E 0813 E 1131 E 1255 E 1415 E 1610 I 1610
DATE	JON O	1965	13	14 14 14 14	115		15 16 16 16 16	11777117711771177117711771177117711771
	OBSERVATORY		HALE HALE MAN I	SACP CATA SACP MCMA	LOCK ATHN BUCA WEND CATA	A A A A A A A A A A A A A A A A A A A	011A HALE HALE HALE 017A 017A 017A HALE	ARCE ARCE ARCE MCAPE MCMA MCMA HUAN

	REMARKS				Ç	٥	0	9					1001	-)	У Ц	0	0	0		HQ								LL	10	. 7		7	C	2			Ш	7	_	7		٥		ے د	2	
	MAX	INI °-		10		163	157	9					_	a											010)			141											1 8		157				0)
	MAX	WIDTH																																													
MEASUREMENTS	CORR	AREA Sq Deg		1.60	4 • 20	1.00	1.60	1 • 30	1.56	I • 70	8 00	(00.42	07.0	6.5		• 20	• 20	• 20	• 33	• 30		2.03	T to T	. 20		• 60	•	92	,	1.30	• 76	2 - 30	1001	• 21	.52	• 6∩	1.00	1 • 70	2.10	1.19	1.20	• 29	• 60	5.00	• 20	•
	MEAS.	AREA Sq Deg.		1.30	1.40	• 80	1.30	1.50	1.31	400-1	-	1.40	0 0	00	• 12	040	• 15	• 15	• 15	• 30	• 20	0 T •	1.41	. Y G	. 20	,	0 7 0		0 4)	• 70	5	1.20	្	16	,36	• 42	• 50	06.	.35	784	. 80	• 15	0 7 •	• 1	.20)
	TIME	10		0120	0535	0625	0653	0730	0806	1000		1041	11044	1121	1318	1452	1848	1914	2020	2018	2021	7 1 34	9 4	2 '	2017		0202	1 0	50	1	85	03	1048	2	C	1115	25	1254	25	1330	1320	1330	1345	1731	1827	2105	
OBS.	COND.			U a	U	~	m	m :	m r	9	(,	7		0		U	U	U		1 .		21				~ ~					2 C	0 (ر ۷		, U			U			1 60) 	J) U	,
-W	POR-	TANCE	T		7	1-				1 -	+ ,	٠,	1			1-	1	1-	1-	1-	1	ł		I ,	1 1									1 1		1-1]_		- ,		- [1	1-	1-	1 -	1 1	
DURA.	TION	MINUTES			12					U	35 U	61	c	77									d 24										19							2.1	7 7						
7	McMATH	PLAGE		7867	7847	7863	7863	7863	7863	1007	104	1841	107	107	7867	7867	7863	7863	7863	7863	7863	7 4 4 7	7863	0 0	2		7867	7007	7863	7863	7863	7863	7863	7863	7867	7863	7863	7863	7863	7863	7863	7863	7863	7863	1863	000	
LOCATION	NOX.	MER	+	¥ 2 8 9							_							_		w2	Z Z Z	3	3	3	₩01 E42		E56	3 3	2 3	7 3	₹	3	3 .	3 3	F 10	3	3	3	3 .	3 3	3	× 4	3	3	3 3	5 E	-
	APPROX	LAT.		N27 S28	N24	529	529	529	\$29	222	222	0 7 2	077	NOON	N 23	N 32	528	528	528	527	529	0 Z Z	529	727	N 99		N 2 9	000	528	526	527	528	527	527	N 30	528	527	528	527	528	527	528	527	\$28	527	501)
		MAX		0120	0535						(I to ct I	1161	1711		1452	1848	1914	2020	2018		4617		- 7	2017		0202	JC	15		8 5	03	1048	7	10	1	25	25	25	1329) (c	I 1		73	0 0	2105	
OBSERVED	UNIVERSAL TIME	END		0130 D 0340 D		0633			U838 D			1052	1216	1214	1329 D		1856	1923	2028	2030 D	2034	2136	0847 D	; اــ	2021		0216	0000		0752 D	9060	1041	1101	1054		1119		1257 D	1304	1336	1331	1335	1407 D	1740	1030	2118	
		START		0110 U330 E	530	929	0650 E	728	U806 E	100	000	1037	100	1141	1316 E	430	1843	1906	2012	2015	2015	2133	U800 E	4000	2012		0155	0221		0747 E		1035	1042	1046		1114	1250	1252	1252	1325	1327	1329	1338 E	1724	1010	2059	
DATE	_	JUNE 1065	200	18	18	1 κ	18	8	18	0 0	0 7	0 0	0 0	0 00	18	18	18	18	18	18	18	Γœ			19		20	0 0	2 C	20	20	20	20	25.0	20	20	20	20	20	200	2 0	20	20	20	2 0	20	
	OBSERVATORY			LOCK KODA	CULG	CAPS	CAPS	CAPS	ARCE	ARCE	3 (CAPE	CARO		OTTA	MCMA	HUAN	HUAN	HUAN	CLMX	MCMA	HALE	ARCE	ARCE	L00X		I ALE	1	CATA	KAN2	CAPE	ATTO -	CAPE	× AND ×	OTTA	OTTA	OTTA	MCMA	CAPE	SACP	OTTA	CAPS	HUAN	HALE		LOCK	

SOLAR FLARES JUNE 1965


_	_							_	_	_	_														_						_	_					
•	REMARKS		٥		I	: 0	Ш	CDGH	ICDGHK		7			ш,	2	17	u	u	٦			U	70	EG								ΙĬ	<u>{</u>				
	MAX	FK!				9	170							123										182													
	MAX	WIDTH Ha						2 • 10	2 0 0	1																											
MEASUREMENTS	CORR	AREA Sq. Deg.	.57	1.00	900	04.	.86	1	2 • 70	1.20	1.70	08.		1.25			. 83	7 • 00	ï	7 •				5.00	1 - 40	•	(3 • 50									
W	MEAS	AREA Sq. Deg.	.30	.60	. 60	• 20	• 42		7 • 00		.70	• 40		96.	0 0 0	040	• 26		06.	67.		a	099	1.00	5	1	1	0/•			. 10	• 30	•	040	• 10		
	TIME	_ T.U	2201	2158	2246	2246	5	W 1	0632		9	1802		0645	0180	0834	00		0926	7		1107	3.0	1206	1217	7		1304			0105	0139	,11	0337	0417		
OBS.	COND.				<u>,</u> .		2		3	1 ~		100		7	J	U	m		Û	n		0	L U	m		,	(J.						2 0			
Ĕ	POR-	TANCE	-[1	1 1		1-			, ,	1			1-		1		+ +	+ -	1	1	1	1 1	7	2 -				+		1-		4		1	1	1 -
DURA.	TION	MINUTES							200						21 D		7,0	127 D	0.6					19 D	2	90 D	~ :	35 U	188 D							Č	0 477
N	McMATH	PLAGE	7863	7863	7863	7863	7863	7863	7863	7863	7863	7863		7869	7863	7863	7863	7863	7863	7867	7867	7867	7863	7863	7863	7870	7863	7863				7863			7863		
LOCATION	APPROX.	MER. DIST.		W59						_	_	w70 w70				M77		6/3										06×	CY	ROL	06M	526 W90	:	06M		06M	
	AP	LAT.	527	\$28	526	5.32	528	\$20	527	528	\$28	S27 S30	E PAT	537	521	527	529	526	527	0 2 N	N 2 1	Z	\$20	\$28	527	N34	\$25	525	\$29 PAT		_				529	524	524
		MAX. PHASE	2201	2158	2246	2246	0553	U	0632)		1802	NO FLARE F	0645	0180	0834		0902	0926				1139			1225	25	1300	NO FLAR	NO FLAR	0105	0139	0235	0337	0417		n
OBSERVED	UNIVERSAL TIME	END	2216	2206 D	2216	2250	0620 D		0704 0704	0 639 D		1810	0450	0650 D	081/ 0828 D		0 6060	1050 D		0913 0	931		1204	1223	1235 1232 D	315	1319	1319	1654 D 2400	0000	0112	0157	1	0358	0419		0915
		START		2154	2240	2242		0550 E	U550 E		0653 E	1755		0640 E	0805 0807 E		0.835		0917			1104 E			1210 E		1237		1346	0000	0103	0129		0334 E	0416	0805	0830
DATE	-	JUNE 1965	20	20	200	20	2.1	21	2]	21	21	21	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	22	23	23	23	23	23	23	23	23
	OBSERVATORY		NAUH	HALE	CLMX	COLG	CATA	ONDR	ABS -	BUCA	CAPE	HALE		CATA	KANZ	CAPE	ARCE	WEND	CAPE	WEND	WEND	S END	CAPE	CAPS	XAND MX	KAND	KAND	KAND	KANZ		HALE	HALE HALE	HALE	HALE	HALE	KAND	KAND
									J [_																											

REMARKS																				Δ			۵				0	2			00	2			c	٥		٥				CFHI
MAX	- IN			_		_																										18							10		10	
	WIDTH	+				_			_															_																		2.50
CORR	AREA	Sq. Dog			2.05			3.35								2 • 22				0,0	•			3 • 00	• 28			• 25	.83	• 75		09.			1.14	16	040	09•	• 30	777.	• 10	
MEAS	ABEA	Sq. Dog		• 23	• 36			• 59		04					• 20	•39				α	4			• 18	•15	• 11	• 24	. 10	• 30	• 30	200	. 57			• 43	• 12	• 20	• 30	• 30	. 35	.10	
TIME		ı n		α	0857			1000		1050					1850	0350				0015	7 6	-		1107	1213	1210	1244	1336	1313	1402	14.10	-			0845	1750	2030	2234	2237		2112	1035
COND.				2	2		2	7)			2	2 C	2				m «) m							J (-	, ₁			w v				U (ر	U	2
IM.		TANCE	2	1	1	1-	1-	٦,		1	-	1	1-	1-	1-	-			- [] _'	- [1-	1-		I I	-	1	1-	1			1 [, ,	1	1		1	1-	2
DURA	1	MINUTES	206 D		13 D			10 D		36)					30 D							17 0	2									-									77
McMATH	PLAGE	REGION	7863	9	9	9	9	.0	9	7863) C	· C	9	7863	7863	7873	8.7		8 5	00 d	- 8	8 5	87	7878	87	8 7	0	7878	8 7	8 7	87	98			7878	8 4	8.7	8 7	87	5/8/	7873	7878
LOCATION TOX.	MED	DIST	063	06M	06M	06%	06M	06%	O 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	063	06M	06M	06M	063		E90		W67	F87	1 H 20 C 50 C	06M	E82	F / 6	E69	E80						¥19	\sim	-02	E73						E37	E43
APPROX	TAI		5.28	530	527	524	\$28	527	524	523	523	523	523	\$28	830	N24	N30	Į L	N35	N 28	N 28	N40	N 30	N 2 8	N29	N31		N 29	N31	N30	N 30	N 30		PAT	N33	N27	N24	N23	N23	4 Z Z	N31	N32
	> 4 20	PHASE								1050))				1850		NO FLARR	-	0844			0915		1107	1213	1210	1244	1336	1313	1402	17.10	114	NO FLARE	NO FLARE		1750		2234	2237	2238	2112	
OBSERVED UNIVERSAL TIME	220	Carlo			0910 D		0937 D		0.958	11082	1101	1125	1142	1427 D	1859	0830 D	0906	0077	0846	0900			1035 D	1109	1220	1250	13,0	1347	1349	1431	1433	2120 U	2400	0300	0060	1758 D		2241 D	2250	7477	2140	1134
	Tonto	2	0839	55	2.5	0160	23	200	1005	1032	1044	1113	1134	1418 E	1840	0	7245	J	842	∞ 0	912	913	0	1101	2	2	0	7	3	3	\$ C	2111	3	\neg	1746		0	2	2 0	V	2105	1017
DATE	Z	1965	23	23	23	23	23	23	23	23	73	23	23	23	23	24	24	7	25	25	25	25	25	25	25	25	25	25	52	25	25	25	25	56	26	26	26	56	26	97	27	28
, ~	OBSERVATORY		KAND	ARCE	- ARCE	- KAND	CAPF	ARCE.	A A ND	DAPT	KAND	KAND	KAND	CAPF	HALE	ARCE	AAND		NAND	UCCL ABCF	1000 NCCL	KAND	KANZ	OTTA	011A	OTTA	ATTO M	OTTA	OTTA	OTTA	X X X X X X X X X X X X X X X X X X X	SACP			ARCE MCMA	011A	MCMA	MCMA	LUCK	SACE	LOCK	ONDR

_	-	_							_										_			_		
•	200	HEMAHKS	~				CFK	CD		ш	8.5								I	I	CEGH		Ш	
	MAX.	INT.			246		254						10									10)	
	MAX	WIDTH Ha						1.80						_							1.70			
MEASUREMENTS	CORR	AREA Sq. Deg.	8 • 00	5.10	5.62	5.00	3.75	4 • 80	4.23	1.10	1.40		•20									1.00	2.40	
M	MEAS.	AREA Sq Deg	00.9	3.60	3.76		2.50	3.40	3.00	09.	1.00		• 20									1.00	2.20	
	TIME	UT	1029	1027	1027	1129	1026	1035	1054	1102	1108		1620								0552	2024	2023	
OBS.	COND		8		2	۵	6	Д	3	2	2 P		U								E	U	1 P	
IM.	POR.	TANCE	2	1	2+	2	+	7	7	1	1-	1	1			1-	1-	1-	7	_	1-]-	-	
DITRA.	TION	MINUTES	94	35	70 D	88	62 D	29 D	32 D			77							10 D	2 D			23 D	
7	McMATH	PLAGE	7878	7878	7878	7878	7878	7878	7878	7878	7878		7878	_					7878	7878	7873	7873	7873	
LOCATION	OX.	MER. DIST.	E41	E40	E36	E41	E40	E37	E40	E44	E46	06M	E44	0			E90	E90	E29	E29	E06	90M		
	APPROX	LAT	N30	N30	N33	N30	N32	N31	N29	N32	N29	N15	N32	α[2	2 [2	N04	518	90N	N31	N31	N31	N 2 1	N23	
		MAX. PHASE	1029	1027	1027	1025				1055		1235	1620									2024		
OBSERVED	UNIVERSAL TIME	END	1105	1055	1130	1148	1123	1052	1122 D	1112 D	1146	1302	1700	0826	0830	060	0927	0925	1642 D	1722 D	0608	2040	2045 D	
	,	START	1019	1020	1020 E	1020	1021 E	1023 E	1050 E	1055 E	1107 E	1218	1610	0800	0820	0846	0916	0917	1632 E	1720 E	0542	2016	2022 E	
DATE		JUNE 1965	28	28	28	28	28	28	28	28	28	28	28	20	29	29	29	29	29	59	30	30	30	
	OBSERVATORY	Coccava	UCCL	MEUD	CATA	LOCA	CAPS CAPS	KHAR	- CAPF	HERS	MCMA	KAND	LOCK	ONA	KAND	KAND	KAND	KAND	KANZ	KANZ	ONDR	LOCK	MCMA	

JUNE 1965

HOUR-UT



Observatories included:

Abastumaai Arcetri Athenes Bakou Bucharest Capetown Capri-F (German) Huancayo

Capri-S (Sweden) Catania Climax Culgoora Haleakala Herstmonceux

Ikomasan Istanboul Izmiran Kandilli Kanze lhöhe Kharkov Kodaikanal

Locarno Lockheed Lvov Manila McMath-Hulbert Meudon Mitaka

Ondrejov Ottawa Sacramento Peak Salonique Siberie Tachkent Tortosa

Uccle Voroshilov Wendelstein Wroclaw Zürich Kiev-Ko

JULY 1965

_	S							_						-		_			_									-	-				-						
•	REMARKS					S	L	L (2	۵		ш	Ä.	٥		DK	۵ ۱	'n	v	ם מ	۵ ۵	>				ш	ı L	J		Ŧ				CKL	٥		ш;	<u> </u>	
	MAX								Œ					165					20		136								20					170	157		161	10	
	MAX.	Ha																																					
MEASUREMENTS	CORR	Sq Deg.	4	• 14	• 54	• 60	• 13	. 00	0.7)	• 30		09•	-30	• 20		•24	• 20	900	•	2 • 47		• 30	(1.20	1,10	. 70	•	0 1 •	• 18	4	• 33	1.07	2 • 70	1.23	• 52	1.30	4.7	1.00
	MEAS.	Sq. Deg.		•12	• 48	09.	•12	000	.35		•30		04.	•20	• 18		• 18	• T2	900	•	2.10	00.7	• 30		1.20	1.00	.70	0	• 10	• 18	1.14	• 30	.82	2.10	* 98	. 48	1.00	39	06.
	TIME	10	9700	1204	1201	1200	1218	01.40	7		1424		1637	1554	1551		1630	1671	1816	0101	0651	-	1544	(1418	1417	1416	7 1	1943	1111	0820	0815	0925	0943	1045	1032	1138		1556
OBS.			0		1 C					3	U		2 C	3	1 C		۵. ۱	۱ ر	00		5		U			2 C		, ,	J	2 C	6	<u>س</u>	۴	m	6	2 C	3	۵	U
ž	POR.	TANCE			1	1-]-		1 - 1	1-	1-	1-	-	-	1-	1-	1,	<u>.</u>		1-			- 1	,		1 1	- 1			1 - 1	1] [1-	1-	- 1 -		1
DURA.	TION	MINUTES																			Q 09													76 D					
	McMATH	REGION	8787	7882	7873	7873	7873	7007	7882	7882	7882	7882	7882	7882	7882	7882	7882		787	7873	7873	88	88		7887	7884	7884	5 6	7887	7873	88	7886	7886	7886	7886	7886	7886	7886	7886
LOCATION	.vox	MER. DIST.	OL FOR	E32	N29 W11	W12	W11	L 2 2	E33	E35	E34	E35	E32	E26	E32	E35	E32	E30	E21	W20	3 3	E22	E0	ROL	E12	W07	W04	- (^ O 3	¥90	E38	E33	F 3.8	E37	E37	E35	E37	F32	E33
	APPROX	LAT		N33	N29	N29	N28	N 2 A	1 E Z	N32	N32	N32	N34	N 34	N34	N32	N33	N 3 3	N N N	N 28	N32	N31	N24	PATRO	N 3 2 N 2 5	N25		7	N 3.1	N34 S02	N 19	N 18	0 2	N19	N18	N18	N 19	N 18	N 18
		MAX. PHASE	NO FLARE			1200	1218	0171	1410		1424		1551	-	1551		1761	1671	1816		0651	5		NO FLARE	1418	1417	1416	1 0	1943	1111		0815			1045			1559	1556
OBSERVED	UNIVERSAL TIME	END	0510	1214	1208	1204 D	1227	1417	1420	1421 D	1428	1448	1653	1600 D	1603	1706 D	1654	5	1831	92	0750 0		1557	10 (J 7		1422	,	1951	0915 1123 D	0830 D	0825	0935 D				1150 D		
	1	START	L	J	1156				1407	ш			1545	1546	1548	1612 E	619	1 /48	1804	1916 E	0650 E	J			1413	1414	1414	1	1938	0856 1033	800 E		ш	0928 E			1102		1552
DATE		1965	01	01	0.1	0.1	01	_		_		_	0 0	010	0.1	0.1	01	10	01	01	0 2	02	0.5	03	03	03	03	5 6	2	05	90	90	_			-	90		
	OBSERVATORY		u O	01TA	01TA	MCMA	OTTA		SACP	NCCL	CLMX	UCCL	M M C M A	CAPS	OTTA	JOSO -	HUAN	HUAN	MOM W	HUAN	M CATA	KAND	CLMX	L G	CAPE	MCMA	CLMX		LOCK	KAND OTTA	ARCE	MANI	ARCE	CAPS	CATA	OTTA	CAPS	SACP	CLMX

JULY 1965

•	REMARKS				9		٥	HO		HJL		FJL			ر		Ē				Ш	ш					ē	2					CFHI		0	Z I			۵	Ы	₹					EJK	
	MAX	INT.	òª			18				20	21						06				180	9						17					205		229		18				10	17				9	
	MAX	WIDTH	£														2.60																														
MEASUREMENTS	CORR.	AREA	Sq Deg	2.44	.18	• 28	• 24	040	2 • 30	2 • 30	3.71	94.9	1.20	7.7	• • •	69.	1.30	. 60	040		3	ĕ	1.09		• 33		1 • 1 /	.35	• 50	1.68		2.40	3.30		1.70		045	•51		• 20	09.	• 30	•21		. 48	1.98	
	MEAS.	AREA	Sq. Deg.	2 = 00	.15	•26	•20	• 30	2 • 10	2 • 30	3.55	5.50	1.20		9 6	09.	1.10	•60	07.		1.22	070	96.		•29	(1.05	•35	• 50	1.60	•	Ţ	3.20		1,62		•22	•24	• 30	•20	09.	• 31	•20		. 48	3.68	
	TIME		10	1603	0		2029	03	2322	31		2318	32	0103	010	0243	0359	0351	0354		0724	0723	0755		0845	ď	0660		0035	0350	*	0711	0710	1	0719			1632	1633	2018	2026		0200		1125	6060	
OBS.	COMP			6		U	۵	1 0	U	U	۵		1 0	(0	0		2 0		٣	3	2		2	r	7	U	7	,	4 0	2 1	6		4		U		2 C		U	J	U) (I	U	
Ä	POR.	TANCE		_	1	1-	1-	1		1	1	+		_	1 [-		- [-		1-	1-	1	-		١,		1 1	Ϊ,	1 .	1 0		+	_	1 4	+ +	1		-	۲.	۱,	<u>'</u> ,	1-	1 4	1-	7	
DURA.	TION	ı	MINUTES	15 D					26	142	21 0	55																					24 D			33 D								α	0	229 D	
	McMATH	PLAGE	REGION		7886	-		-					_			-		_	-	_	-	_	_	-		-	-	7886	 	- 1		_	7	_	7886	_	_	7	7	_	- 1	_	78	7 08	7886	7886	
LOCATION	APPROX.	MER	DIST	ш		Ш	Ш	ш	Ш	Ш	Ш	Ш	ш	L	1 14	ш	Ш	Ш	Ш	ш	Ш	Ш	ш	Ш	ш	U	U U	E20	_						E12				_				W03			w18	
	APP	LAT.	1	N15	N18	N18	N19	N 18	N18	N21	N19	N17	N 1 7	1019	N N	N22	0 Z	NIZ	N 18	N18	N18	N19	N18	N19	NIV	0 IZ	2 2	NIN	0 I N	N O	6 L N	01N	N 19	N19	2 Z	N 20	N21	N21	N21	N21	N21	778	N16	N 2 1	N18	N 19	
		MAX.	PHASE			2026		2031	2322	2315	2317	2318	2329	0103	0106	0243	0359	0351	0354	0356	0724							1454	0035	0000	2			- 1	61/0		63	1632	63	(2026	7	0050			0943	
OBSERVED	UNIVERSAL TIME	END		1612	1603	2040	2048 D	2130	0016	0123	2325 D	2400	2358	9110	0128 D		0430	0434	0419		1025 D				0845 D	0940		1502	0041 0	040		0740 D		0720	0800	0850 D		1640		2050 D	2038	1503	0510	0554	1138 D	1006 D	
		START			1600 E	2012	2024	2028	2239	2301	2304	2305	2316	900	0103	0230	0330	0346	0349		0630 E			0835 E			2,470	1449	0025 E	0350			0705 E		0725 F	0817 E		1627	1631	2014	2019	0707	0456	0500	1120	0617 E	
DATE		JULY	1965	90	90	90	90	90	90	90	90	90	90	7	0 0	07	07	07	0.7	07	07	07	07	07	07	0 /	2 0	07	0 0	0 0	080	90	0.8	0 8	9 6	90	90	0.8	90	90	900	80	60	0 0	60	10	
•	OBSERVATORY			CAPF	HUAN	SACP	HUAN	MCMA	CLMX	LOCK	SACP	CULG	HALE	9 = 5	N N	CULG	TACH	HALE	HALE	KODA	CATA	CAPS	ARCE	KAND	ARCE	KAND	K A N C	SACP	NAM	E COL	BUCA	ATHN	CAPS	1STA	K A N A	KANZ	SACP	OTTA	MCMA	MCMA	LOCK	340	CULG	KAND	OTTA	ABST	

JULY 1965

REMARKS FKL EH CGH CGH DG FH G L шцо шот т SO о шшл 170 20 20 20 18 201 230 19 175 INT MAX. 3.60 2.00 3.10 3.31 1.41 5.00 1.90 2.60 .80 1.06 94 .46 .49 .76 1.10 .31 .80 1.05 .80 .90 .30 .30 AREA Iq Deg. 1.80 3.00 3.00 1.30 4.50 2.10 1.59 1.79 MEAS. AREA 0950 1000 0953 0955 0437 0850 0950 1515 1515 0825 043 551 617 1717 0105 TIME -OBS. UU @0000000@@00 IM. POR. ANCE 1111111 ۵ ۵ ۵ DURA. TION -24 28 56 18 32 9 35 30 138 McMATH PLAGE REGION 7886 7886 7886 7886 7886 7886 7886 7891 7891 7891 7891 7891 7891 7896 7896 7886 7886 7886 7886 7886 7886 7886 7886 7886 7886 LOCATION PATROL N20 C 8 20 P N20 C 20 C 20 P N20 C 20 MER E51 063 W16 W21 E45 APPROX. LAT. N21 NO FLARE MAX. 0955 0941 1041 1409 1518 1515 1617 1617 1617 1616 1718 1717 1925 0010 0008 0104 0107 0105 2342 OBSERVED UNIVERSAL TIME ۵۵ 0000 000 ۵ 9 9 0835 0912 1013 1013 1004 1020 1020 1020 1050 1050 1139 1139 11422 11601 11850 0245 0440 0855 0950 1540 1444 1529 1534 1532 1532 1526 1621 1621 1625 1725 1725 1725 1943 END 0019 0013 0135 0147 0835 யய шшшш ш تنا نيا تنا ш ш 00849 008494 008494 10946494 11511 1151 11511 11 00004 00005 00046 00047 00051 JUL Y HAPPE AARDE AA LOCK SACP LOCK SACP CULG OBSERVATORY

JULY 1965


	REMARKS		9	۵ (οü	ט נ	,	E6H	FG	ш	L					LL.	. ш	F0		EI	I	U	, П	LL L	U	o _	عا لـ		-	JШ		v:) Ш	,	o lu	J	L	L	۵ د		CGL	LL.	
	MAX.					200	2	204	200			18								60		210	ŧ			,	2				ć	0.7								150			
	MAX	Ha																																									
MEASUREMENTS	CORR	Sq Deg.			077	000	1.20	1.04	1.30	. 50	.72	• 23	• 31	• 70	• 12	3 . 94	00 • 9		2 • 90	7.60	4.00	1.70		• 70	•	0[-[. 50	• 20	0 / 0	•	7	06	• 53			-	• 20	1.002	• 30	1.60	• 23	• 60	• 50
	MEAS.	Sq Deg			000	0 0)	.92	1.20	• 50	• 71	.17	•24	040	•00	2.87	4 • 00	8.30	1.60	4.50	7.50	1 • 00	•	• 70	•	•20	• 50	•20	• 60	04.	•25	80	• 50	090	04.0	2	• 20	000	•30	1.50	•20	• 50	040
	TIME	T n			1156	1145		1157	1407	1407	1407		1544	1545	1635	-	1105		1059	1101	1601	1100	1	1948	7	0512	1842	1839	1933	2118	2120	2148	2152	2211	2214		0151	1210	1209	1216	2253	21	0258
COND.					,	, n m	2	8	8			V	2 C	V	2 C	2 C	8			U,	2 (v 60		2 0		۵.	2 0			16	U	9		U	ر د د		ر د		3	6	U		9
έ	POR.	TANCE			1 1	1	1-	1-	1-	1	1	-]-	+	1-	-	2	1+	-1		٦,	1-1		1-	<u> </u>		1-	1,				1 1	1-	1-				1 [1-	1-	1-	1-	1+
DURA.	TION	MINUTES	10 D													76	23	16 D	38	80 (13 D		15 D																				
	McMATH	REGION	7886	∞	α	7891	00	00	8	8	8	∞	∞	7886	∞	00	88	88	88	888	00 0	7886	1	7891	0	7886	89	89	89	7886	80 6	7891	89	80 8	7886	•	7891	\circ	æ	7891	7896	89	7891
LOCATION	8	DIST		3 1		ш	ш	ш	ш	ш	ш	.5	.35	.33	ш				-					E03		878 808		3	3 3	M76	3	3 3	¥	3	8 7 8		% a	ğ [¥	W	E2	7 M	W43
	AP	LAT	N 18	220	N 2 2	2 N	N21	N22	N 20	N22	N22	N 19	E Z	N22	Z 23	Z	N22	N 20	N24	N 25	N 25	N 20	N 19	N20	120	N22	\$28	529	823	N 2 4	N 23	N 10	N 18	N24	2 2 X	:	N 18	N 2 1	N18	N18	M27	N 19	N20
		MAX		u	1156	`		1157		1407	1407	1544	1544		1635	1105		1105	1059	1101				1948	1661	0512	1842	1839	1023	2118	2120	2148	2152	2211	2214		0151		1209		2254	0210	0258
OBSERVED	UNIVERSAL TIME	END	0830	1102		1215		1223 D	1418	1428	1426	1550	1546	1546	1638	1220	1111	1105 D	1128		1107 0	1123	1113 D	2016	0107	0540	1901	1901	1955	2127		2213	2202	2221	2228		154	1211		1245 D	2259	0224	0315
		START	0920 E	040	1 5	1141	1151	1153 E	1403	1405	1406 E	1536	1540	1542	1633	1046	1048	1049 E	1050	052	400	1057 E	058	1945	1 1 1 1	0508 E	1825	1829	1906	2117	2117	2142	2143	2203	2213		0149	1207	1208	1209 E	2250	20	0253
DATE	-	1965	12	12	12	12	12	12	12	12	12	12	12	12	12	13	13	13	13	13	5.	13	13	13	7	14	14	1,4	14	14	14	1 7	14	14	14		ر د ر	15	15	15	15	17	17
	OBSERVATORY		KANZ	KANZ	E	CAP.	BUCA	CATA	CAPS	MCMA	OTTA	SACP	OTTA	MEUD	OTTA	OTTA	NCCL	MONT	CAPE	KIEV	CAPP	CAPS	KANZ	HALE	KE)E	CULG	HALE	HALE	I I I I	MCMA	HUAN	ACMA	HUAN	HUAN	MCMA		HALE	HUAN	MCMA	CAPS	CULG	HALE	HALE

JULY 1965

	REMARKS		I		J.L		Ш			II				0								H CGH		I
	MAX	E .	20		20		0	80) 					_	18	20				10		20
	MAX	МЕ																						
MEASUREMENTS	CORR	AREA Sq Deg	.30	0 4 0	. 80		• 17	77.	. 50	1.00	• 70		8 . 90	4 • 83	_		.15	040	• 76	• 39		• 20	• 73	0 4 0
	MEAS	Sq Deg	.30	040	09.		• 15	17.	• 30	090			5.50	2.06)		•12	040	.52	• 18		.20	• 65	• 30
	TIME	T U	1814	1813	2249		1418	1420	1938	2215	2241		0833	0835			1429	2132	0820	1346		0145	0935	2049
OBS	COND.		U	Ų () U		U (7	7	<i>,</i> 0	r	7	2 = 1			1 0	U	2	2 C		Ųυ	2	U
Ė	POR.	TANCE	1	1 1			t e		1	1 1	1		+					1-	-	1-	1	1 1	1	<u>.</u>
DURA.	TION	MINUTES											35 D	35 D				-	_					
	McMATH	PLAGE	7896	7896	7891		7899	7899	7891	7891	7891	7891	7891	7891					7902			7913	7923	7929
LOCATION	PH -	MER		7 W 15				/ E.15		2 W62		47W 7				PATROL	PATROL NII W45 NIZ W44	E 05	1 W4 1	8 w77	06M L	809 808) E02	3 E52
	AP	LAT.	N N	N 2 7	N21		N27	N 2 7 7	N 18	N22	N22	N17	N 2 1	N 18			E PATE N11 N12	\$12	511	N23	5.2	N22 N22	\$20	513
		PHASE	1814	1813	2249	NO FLARE	1418	1418	1938	2215	1	0827	0833			NO FLAKE	NO FLARE 1429 1430	2132		1346		0145		2049
OBSERVED	UNIVERSAL TIME	END	1823	1820	2310	0250	1424	1430	1944	2250	2308	0915 D		0905 D		0520	0240 1436 1440	2144	0840 D	1358 D	0858 D	0156	0 955 D	2057
		START		1810		0200	1416	141/ 1420 F	ı	2208	ш	812		шш		0135	0150 1420 1422	2127	0810 E	1339	0852 E	0142	0935 E	2045
DATE	-	1965	_							18		0.0	0 0	19		07	21 21 21	22	24	25	56	28	56	31
	OBSERVATORY		LOCK	XWX	LOCK		HUAN	SACE	HALE	HALE	CLMX	KAND	ABST	ARCE			OTTA	LOCK	ARCE	OTTA	KAND	LOCK	ARCE	LOCK

JULY 1965

HOUR-UT



Observatories included:

Abastumani Arcetri Athenes Bakou Bucharest Capetown Capri-F (German) Capri-S (Swedish)
Catania
Climax
Culgoora
Haleakala
Herstmonceux
Huancayo

Ikomasan Istanboul Izmiran Kandilli Kanzelhöhe Kharkov Kiev-Ko Kodaikanal Locarno Lockheed Lvov Manila McMath-Hulbert Meudon

Mitaka Monte Mario Ottawa Ondrejov Sacramento Peak Salonique Siberie Tachkent Tortosa Uccle Voroshilov Wendelstein Zurich

NRL MAY 1964

	Average X-	Ray Flux (19	64)
Date	44-60A	8-12A	0-8A
May 18	3.0 × 10 ⁻²	< 30 × 10 ⁻⁴	<15 × 10 ⁻⁴
19	2.1 × 10 ⁻²	< 8 × 10 ⁻⁴	<4 × 10 ⁻⁴
20	2.3×10^{-2}	< 2.5 × 10 ⁻⁴	<2 × 10 ⁻⁴
21	2.4×10^{-2}	<1.7 × 10 ⁻⁴	· 1.3 × 10 ⁻⁴
22	2.6 \ 10 -2	1.3 × 10 -4	1.0 - 10 -4
23	2.6×10^{-2}	~1.1 × 10 -4	· 1.0 × 10 -4
24	2.6 × 10 -2	<1.1 \(10^{-4} \)	1.1 × 10 -4
25	2.6×10^{-2}	<1.5 × 10 ⁻⁴	1.1 × 10 ⁻⁴
26	2.5×10^{-2}	$<1.7~\times~10^{-4}$	-1.4×10^{-4}
27	2.0 × 10 ⁻²	< 3 × 10 ⁻⁴	<2 × 10 ⁻⁴
28	1.9 × 10 ⁻²	< 8 × 10 ⁻⁴	<4 × 10 -4
29	2.4 × 10 ⁻²	<30 × 10 ⁻⁴	<11 × 10 -4

No outstanding events were observed in May 1964.

		Ob	serving Times	for Ma	ıy 1964				
18	1235	1251	22 (cont'd)	1113	1142	26	0024	0040	
	1427	1442		1317	1333		0120	0142	
	1624	1638		1458	1514		0212	0225	
	1752	1810		1514	1530		0258	0317	
	1940	1954		1641	1701		0441	0505	
				1819	1845		0627	0707	
19	0106	0122		2017	2032		1004	1031	
	0251	0307		2128	2142		1151	1223	
	0715	0749		2311	2329		1347	1407	
	0919	0935		2358	0011		1534	1547	
	1241	1302					1554	1604	
	1419	1452	23	0057	0112		1710	1736	
	1605	1648		0142	0158		1907	1923	
	1802	1818		0247	0302		2249	2302	
	1938	2002		0420	0435				
	2245	2300		0600	0618	27	0032	0049	
				0754	0826		0312	0326	
20	0115	0130		0937	0954		0456	0529	
	0301	0316		1138	1152		0645	0717	
	0353	0408		1319	1352		0827	0844	
	0539	0553		1505	1535		1013	1042	
	0716	0735		1652	1710		1211	1240	
	0742	0759		1841	1853		1356	1428	
	0928	0944		2033	2041		1542	1600	
	1055	1112					1732	1743	
	1241	1312	24	0110	0123		1919	1932	
	1440	1513		0151	0207		2030	2041	
	1623	1656		0240	0259		2211	2226	
	1812	1825		0429	0500		2257	2312	
	1959	2015		0615	0649				
	2254	2310		0801	0832	28	0000	0015	
				1132	1202		0041	0059	
21	0220	0243		1328	1400		0136	0202	
	0311	0325		1515	1544		0316	0335	
	0545	0621		1701	1719		0459	0540	
	0733	0808		1849	1902		0646	0726	
	0937	0950		2038	2048		0837	0853	
	1104	1130					0950	1012	
	1300	1321	25	0015	0030		1022	1052	
	1446	1506		0119	0133		1220	1241	
	1634	1650		0619	0657		1405	1438	
	1822	1837		0807	0843		1552	1609	
	2350	0002		1157	1212		1000	2000	
	2000	3000		1343	1358				
22	0410	0426		1527	1556	29	0144	0158	
	0556	0630		1713	1727	20	0331	0344	
	0744	0816		1847	1915		5551	00.1	
	0928	1001		2156	2210				
	0000	1001		2340	2356				

The above values are revisions of data published in CRPL-F 241, Part B, issued September 1964. The April 1964 measurements published in CRPL-F 249, Part B, issued May 1965 were also revisions of the data published in CRPL-F 241, Part B.

IONOSPHERIC EFFECTS OF SOLAR FLARES

SHORT WAVE RAOIO FACEOUTS
SUCCEN COSMIC NOISE ABSORPTION
SUCCEN ENHANCEMENTS OF ATMOSPHERICS
SOLAR NOISE BURSTS
SUCCEN PHASE ANOMALIES
SUCCEN PHASE PHASE ANOMALIES
SUCCEN PHASE PHASE PHASE
SUCCEN PHASE PHASE PHASE PHASE PHASE PHASE PHASE PHASE PHASE PH

SEPTEMBER 1965

SEP	U	UNIVERSAL TIME			IMPORTANCE							WIDE	CTATIONC	KNOWN
1965	START	E NO	MAX	SWF	ABS	SCNA	SEA	SPA	SES	SFD	BUR	INDEX	STATIONS	FLARE
04	0315 0317	0317 0320									1	4	ма на ма на	
05 05	0900 1000	0922 1030	0907 1010				2					1	TS TS	0856E 0941
06 06 06	1936 2001 2157	1940 2002 2159									1 1 1	4 4 4	HA BO (TRIPLE BURST) BO HA BO HA	2155
07	1610	1616	1611							002		1	BO(WWV10-0.2.WWV15-0.1)	1611E
08	0100 1528	0102 1532	1529							002	1	4	MA HA BO(WWV10-0+2+WWV15-0+1)	1525E
09 09 09 09	0057 0217 0248 1743 1840	0100 0220 0254 1745 18450	1841				J			004	1 1 1	4 4 4 4 2	HA MA MA HA HA MA (OOUBLE BURST) HA BO BO!WWV10-0.4+WWV15-0.2+	1838
09 09	2020 2315	2022 2317									1	4	KKE5-0.1.*KKE4-0.1) BO HA HA BO	2021
10	1925	1927									1	4	во на	
12 12 12 12	1719 1724 2004 2007	1724 1725 2006 2009									2 1 1	5 1 4 4	BO HA BO BO HA BO HA	
13	0109	0110									1	4	на ма	
[22 22	2014 2016	2130 2109	2020 2021				1+		1			1	A3 A3	
26 26 26 - 26 - 26	1319 1502 1652 1712 1713	1331 1511 1701 1725 1719	1321 1507 1655 1716 1715	G 1-						002 003 002		1 1 1 5 2	BO(wwv10-0.3.wwv15-0.2) BO(wwv10-0.2.wwv15-0.1) HU BE FM MC TR WS BO(wwv10-0.7.wwv15-0.4.	1457 1654 1713
26 26	1714 1928	1750 1934	1720 1929				1-			004		1 2	KKE5-0.3.KKE4-0.3) A3 B0(wWV10-0.4.wWV15-0.2, KKE5-0.2.KKE4-0.2)	
F29	1922	1932	19220							042		2	BO(WWV-10-4.2,KKE4-2.2, WWV15-1.9,KKE5-1.2,	1922
-29 -29	1925 1927	2115 1955	1935 1930				3		1			1	KKE3-0.8) A3 A3	
<u>-30</u>	1525 1545 1922	1630 1550 2007	1557 1546 1932	G 1+						004 010		2	MC BE BO FM HU TR WS BO(KKE4-0.4) BO(WWY10-1.0.0 WWV15-0.5) KKE5-0.3 * KKE4-0.3)	1513 1920
- 30 - 30	1925 1925	2050 2250	1930 1945					76	1			3	A18 A3 BO(NPM26-76,NSS88-29, NAA17-22,NPG18-14,	
30	1926	2013	1935	Ġ 2									GBR16-11),MA HU AO AN BE BO FM MC TR WS	
L 30	1930	2020	1938				3					5	A5 A3 BO HA	

RIOMETER EVENTS

SEPTEMBER 1965

GREAT WHALE RIVER

30 Mc/s

SEPT. 1965	START UT	END UT	MAX UT	MAX. ABSORP. db, (tenths)	DEAKC	SEPT. 1965	START UT	END UT	MAX. UT	MAX. ABSORP. db, (tenths)	NO. OF PEAKS
1 2 4 5	0358 0010 1144 0314 1156	0923 1620 1417 0834 1450	0708 0440 1251 0403 1313	25 26 11 17 21	3 3 1 4 1	16 17 18 19 21	1924 0200 0330 0256 0040	2100 1928 0750 2026 0536	1941 1610 0409 0317 0121	6 30 30 42 25	2 8 3 6 4
5 6 6 7 7	2033 0310 1604 0335 2214	2214 0502 2150 0740 2314	2130 0401 1715 0412 2229	7 10 12 5 10	1 1 4 2 1	21 22 22 24 25	2102 0244 1340 0442 0126	2140 0940 1620 0800 0536	2107 0623 1511 0445 0454	34 15 25 45 14	1 4 4 3 4
12 13 15 16 16	0245 0245 0451 0020 0748	0510 0425 0855 0343 1520	0249 0306 0459 0239 1311	10 26 13 21 29	3 6 5 6	26 27 28 28 29 30	0132 0018 0048 2137 0340 0230	2318 0354 1825 2217 2150 0904	1329 0027 0049 2156 0441 0335	43 21 39 6 16 23	6 3 8 1 14 5

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES


OCTOBER 1965

ARO-OTTAWA DRAO-PENTICTON 2800 Me/s 2700 Me/s

DRAO-P	E31.	1101011		,	,			2700 Me/3
OCT.	R A	DESCRIPTIVE	START	DURATION	MEAN	MIXAM	UM	REMARKS
1965	N E	TYPE	UT	HRS MIN	FLUX	TIME	FLUX	NEMARKO
1	3	Simple 3	ъ1420	> 50	1.0	1445	2.0	
1	3	Simple 3	16 17	1 55	1.4	1710	2.8	
1	3	Simple 3	1820	1 50	1.5	1908	3.0	
1	3 1 2	Simple 3A Simple 1 Simple 2f	2020 2027.5 2030.5	2 20 2 8	7.0 3.5 11.0	Indet. 2028.1 2033.5	14.0 7.0 32.0	
1	3	Simple 3	2247	45	0.8	2315	1.6	
2	3 2	Simple 3A Simple 2	1246 1246.8	24 3	1.4	1252 1247.5	2.8	
2	2 4	Simple 2 Post B.I.	1413 1417	4 16	9.5	1415	21.0	
2	1	Simple 1	1525	1.5	0.6	1525.5	1.2	
2	3 1 2 1	Simple 3Af Simple 1f Simple 2f Simple 1	1602 1612 1617.5 1643.5	1 05 4 3 0.7	4.5 2.0 7.0 0.8	Indet. 1613 1618.3 1644	9.0 3.2 19.0 1.6	
2	3	Simple 3	1745	1 00	2.0	1805	4.0	
2	3	Simple 3	1920	1 20	1.0	1943	2.0	
2	3	Simple 3f	2120	2 35	1.6	2252	3.2	
3	3	Simple 3f	1903	1 52	1.6	2005	3.2	
3	3	Simple 3	2130	2 20	2.3	2200	4.6	
4	3	Simple 3Af Simple 1	1345 1448	1 15 1	1.2	1447 1448.7	2.4	
4	3 1 1 1	Simple 3A Simple 1 Simple 1 Simple 1	1505 1508 1523 1551	1 12 2 2 4	1.2 0.3 0.4 0.4	1535 1509 1524 1553	2.4 0.6 0.8 0.8	
4	3 1 1 3	Simple 3A Simple 1 Simple 1 Simple 3 Simple 1	1646 1655 1728 1845 2049.8	4 18 5 .3 1 15 1.8	1.5 1.0 0.5 1.4 0.5	1700 1657.5 1729.5 1855 2050.3	3.0 2.0 1.0 2.8 1.0	
5	1	Simple 1	1741	1	0.4	1741.5	0.8	
5	1	Simple 1	1753.5	0.5	0.5	1753.7	1.0	
5	1	Simple 1	2108	6	0.8	2110.5	1.6	
6	3	Simple 3	2005	55	0.5	2030	1.0	
6	1	Simple 1	2343.5	0.5	1.1	2343.8	2.2	
7	3	Simple 3	1905	1 00	0.4	Indet.	0.8	
8	6	Complex	1603	4	1.5	1605.3	3.0	
9	-	Rise	1630	1 00			4.0	
22	3	Simple 3 Rise	1555	35	0.4	16 11	0.8	
		1126	1600	1 00			2.5	

SELECTED 2800 Mc s SOLAR NOISE BURSTS ARO - OTTAWA, CANADA

OCTOBER 1965



SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS

OCTOBER 1965

BOEING · SEATTLE

223 Mc/s

OCT.	Type of	Start	End	Max	Flux Density at Time of Maximum 10 ⁻²² Wm ⁻² (cps) ⁻¹
1965	Event	UT	UT	UT	
4	High Continuum	1700*	2000		


* In progress

The equipment was down during the following times:

October	1	1700-1800, 2045-2110, 2135-2330 UT
	2	1840-2330 UT
	3	1700-2330 UT
	4	2005-2330 UT
	5	1945-2330 UT
	8	2310-2330 UT
	9	1720-2230 UT
	10	1845-2330 UT
	11	1950-2330 UT
	12	2120-2130 UT
	14	2115-2225 UT
	17	1600 - October 18, 1830 UT
	25	2025-2030, 2045-2100 UT
	30	1700-1750 UT

Normal Observing hours were from 1700-2330 UT

SOLAR RADIO EMISSION INTERFEROMETRIC OBSERVATIONS



SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

OCTOBER 1965

ESSA BOULDER

108 Mcs

OCT. 1965	ТҮРЕ	START UT	TIME OF MAXIMUM UT	DURATION MINUTES	INTENSITY
4	6	1304E	1645	526D	2
7	3	2008	2008.3	2.0	3
14	3	2110	2110	2.7	2
30	3	2000	2000.6	2.3	2

NOMINAL TIMES OF OBSERVATION

OCTOBER 1965

ESSA BOULDER

108 Mcs

OCT. 1965	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.	OCT. 1965	HOURS OF OBSERVATION U.T.	HOURS OF INTERFERENCE U.T.
1 2 3 4	1301-1500; 1910-0028 1302-0026 1303-0025 1304-0023	1302 - 1520	16 17 18 19 20	13 16 -0005 13 17 -0003 13 18 -0002 13 19 -0000 1320 -2359	
5 6 7 8 9	1305-0021 1306-0020 1307-0018 1308-0017 1309-0015	1307-1500	21 22 23 24 25	1322-2357 1323-2356 1324-2355 1325-2353 1326-2352	1322 - 1430 1323 - 1435
10 11 12 13 14	1310-0014 1311-0012 1312-0011 1313-0009 1314-0008		26 27 28 29 30	1327-2351 1328-2349 1329-2348 1330-2347 1331-2345	

Interference was present near sunrise throughout October. Those times indicated had somewhat worse interference than other days.

SOLAR RADIO EMISSION OUTSTANDING OCCURRENCES

OCTOBER 1965

HALEAKALA 107 Me, s

ОСТ. 1965	TYPE	START UT	TIME OF MAXIMUM UT	DURATION MINUTES	INTENSITY
4	6	1617E	1647	250D	3
4	3	2055	2056	1.9	2
6	3	2022	2023	2.5	2
17	3	0217	0218	4.5	2
30	3	2044	2047	4.0	2

Normal observing hours are from sunrise to sunset which for October is on the average from 1620 UT to 0401 UT.

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

JULY 1965 - AUGUST 1965

FORT DAVIS

25 - 320 Mc/s

1965	OBSERVING HOURS		IMPORTANT BURSTS		FREQUENCY	REMARKS
1965	2032	TYPE	TIMES U. T	INT	RANGE	NEW PROPERTY.
July 1 2 3 4 5	1237-2230 1237-2230 1237-2230 1237-2230 1238-2230					
6 7 8 9	1237-2230 1237-2230 1238-2230 1237-2230 1539-2230	I	1238-1600	1	175-100	Weak I during day
11 12 13 14 15	1237-2230 1237-2230 1237-2230 1237-2230 1237-2230	I	1237-1440	1	175 - 100	Weak I during day 2143: U Burst
16 17 18 19 20	1238-2230 1238-2230 1237-2230 1237-2230 1237-2230					
21 22 23 24 25	1237-2230 1237-2230 1237-2230 1238-2230 1624-1744 1804-2230					
26 27 28 29 30 31	1237-2230 1237-2230 1237-2230 1237-2230 1237-2230 1237-2230					
August 1 2 3 4 5 5	1308-2300 1308-2300 1308-2300 1308-2300 1309-2300					
6 7 8 9	1340-2300 1305-2300 1305-2300 1306-2300 1306-2300					
11 12 13 14 15	1306-2300 1307-2300 1306-2300 1306-2300 1306-2300					
16 17 18 19 20	1307-2300 1306-2300 1306-2300 1306-2300 1306-2300					
21 22 23 24 25	1306-2300 1306-2330 1308-2300 1308-2300 1306-2300					
26 27 28 29 30 31	1307-2300 1413-2300 1345-2300 1428-2300 1333-2300 1349-2300					

SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS

SEPTEMBER 1965

FORT DAVIS 25-320 Mc/s

1965	OBSERVING HOURS		IMPORTANT BURSTS		FREQUENCY	REMARKS
yscom with it	oosentino noons	TYPE	TIMES U T	INT	RANGE MC	n Emanna
September 1 2 3 4 5	1514-2330 1329-2330 1330-2330 1329-2330 1330-2330					
6 7 8 9 10	1331-2330 1330-2330 1329-2330 1324-2330 1324-2330	IIIG I I IIIG I IIIG I I I	2058-2059 1440-1700 1400-1840 1324-1500 1600-1601 1731-1824 1900-1952	2 1-2 1 1-2 1 1	175-<25 180- 50 180- 50 280-100 175- 60 200-100 180-125	Weak I throughout day Weak I throughout day Weak I throughout day
11 12 13 14 15	1324-2330 1324-2330 1324-2330 1324-2330 1324-2330	I	1324-1800 1720-1723	1-2	180- 50 180- ⊘ 5	Weak I throughout day Weak I during day 1723: Reverse drift 25-75 Mc/s
16 17 18 19 20	1325-1503 1529-2330 1324-2330 1324-2330 1324-2330 1325-2330					
21 22 23 24 25	1324-2330 1324-2330 1325-2330 1324-2330 1324-2330	IIIG	2240-2242	2	280-⊲5	Very weak I during day 2241: U Burst 160-100 Mc/s
26 27 28 29 30	1325-2330 1325-2330 1325-2330 1325-2330 1325-2330					Weak I during day


SOLAR RADIO EMISSION SPECTRAL OBSERVATIONS


OCTOBER 1965


High Altitude Observatory Boulder


7.6 - 41 Me/s


Date		Bursts			Date		Bursts		
0c t 1965	Туре	Time (U.T.)	Inten- sity	Frequency Range (Mc/s)	1965	Туре	Time (U.T.)	Inten- sity	Frequency Range (Mc/s)
2 Oct	III	1612:15-1612:45	1+	14-41	cont. 5 Oct	III	1736:30-1737:30	1-	25-36
	III	1626-1627:30	3	7.6-41		III	1757:15~1757:45	1	10-41
	III	1735:45-1736:45	2	8-41		III	1808:15-1808:45	1-	22-38
	III	1742:15-1744	1+	10-41		III	1819-1819:30	1	19-41
	III	1848:30-1850:30	2	8-41		III	1903:15-1903:30	1-	22-36
	III	1906-1907:15	1+	9-41		III	2027:45-2029:45	1	17-41
	III	1910-1910:45	1+	10-41		III	2031:30-2031:45	1-	22-35
	III	1912:30-1913:15	1+	9-41		III	2038:15-2038:45	1-	21-40
	III	2106:30-2107	1	17-41		III	2040:30-2041	2	16-41
	III	2107:45-2108:15	1-	28-41	6	III	1419:15-1420	1+	20-41
	III	2234:30-2235	1-	27-41		III	1540:30-1541:15	2	24-34
	III	2328:45-2329:15	1-	31-41		III	1733:15-1733:45	1-	24-40
3	III	1541:30-1541:45	1-	23-36	ļ	III	1950:15-1950:45	1-	19-34
	III	1549:15-1549:30	1-	25-36		III	2324:30-2325:30	1	20-41
	III	1723:30-1724	1-	21-38	ĺ	III	2325:30-2326	1-	23-41
	III	1743:15-1744:30	1	17-41		III	2328:45-2329:30	1+	19-41
	III	1745:30-1745:45	1-	33-41	7	III	1533:30-1534:15	2	21-41
	III	1829:30-1829:45	1-	27-41		III	2002:45-2003:30	1-	26-41
	III	2029:45-2030	1-	21-41		III	2221:15-2222:15	1+	15-41
	III	2123-2123:15	1-	24-41		III	2304:30-2305:15	1+	17-41
4	continuum	b1411:30-2058	2	19-41	8	III	1542-1542:30	1	26-41
	III	2108:15-2108:30	1-	20-41		III	1603:15-1606:45	3	16-41
	III	2112:30-2112:45	1-	23-37	18	no observ.	1400-1906		
	III	2134-2134:15	1-	22-38		no observ.	1652-1759		
	III	2145:30-2145:45	1	19-41	22	III	1711:45-1713:30	2	17-41
	III	2206:45-2207	1-	24-39	26	III	1824:45-1825	1-	27-41
	III	2344-2344:15	1-	25-34					
5	III	1544-1544:15	1	20-41					
	III	1600-1600:15	1	19-31					
	III	1634:30-1635	1	21-38					











OCTOBER 1965


STANFORD

9,1 CM SPECTRUNELTOURAM STAMFORD, 31 OCT 1965 20-21 HOURS UT. S = 78 BMIGHTNESS UNIT = 1000 M

OCTOBER 1965

FLEURS, AUSTRALIA

21 cm
Fan - Beom with 2 minutes of orc



(Neutron Monitors)

SEPTEMBER 1965

	CHURCHILL	GLIMAX	DALLAS
SEPT.	DAILY AVERAGE	DAILY AVERAGE	DAILY AVERAGE
1903	COUNTS PER HOUR	COUNTS PER HOUR	COUNTS PER HOUR
1	6520.9	3317.3	6398.8
2	6534.5	3333.5	6426.5
3	6551.9	3337.1	6424.8
4	6503.9	3318.2	6398.0(23)
5	6497.6	3318.3	6406.5
6	6512.0	3321.5 (38)	6415.5
7	6534.7	3325.3	6424.1
8	6539.2	3337.2	6444.7
9	6566.8	3348.4	6466.9
10	6587.4	3356.8	6488.5
11	6565.8	3347.9	6462.2
12	6532.5	3324.0	6435.3
13	6493.6	3298.6	6402.2
14	6525.9	3314.8	6418.5
15	6544.2	3345.5	6447.0
16	6508.7	3355.5	6460.8
17	6478.3	3343.5	6416.8
18	6485.4	3345.2	6412.8
19	6521.8	3341.2	6403.9
20	6547.8	3346.3	6416.4
21	6549.1	3351.8	6421.8
22	6565.2	3350.2	6424.9
23	6527.6	3321.3	6385.9
24	6535.2	3312.1	6382.3
25	6514.5	3324.4(36)	6399.9
26	6521.7	3336.0	6415.7
27	6497.9	3340.5	6417.1
28	6488.2	3340.1	6412.7
29	6509.7	3347.2	6418.3
30	6540.9	3341.2	6433.2
		331242	VTJJ • 2


() Number of hours for which data are available if less than 24 (or number of section hours if less than 40 for Climax).

Churchill Super Neutron Monitor, Scaling Factor 120.

Climax IGC Station B305, Scaling Factor 128.


Dallas Super Neutron Monitor, Scaling Factor 120.

COSMIC RAY INDICES
(Pressure Corrected Hourly Totals)



SEPTEMBER 1965

SEPT. 1965	С	Values Three hour (1 2 3 4	s Kp Gr. interval 5 6 7 8	Sum	Ар	Final Selected Days
1 2 3 4 5	0.4 0.3 0.1 1.1 0.6	10 2+ 2+ 0+ 20 2- 10 2- 0+ 0+ 0+ 0+ 30 3- 3- 4- 30 2+ 3- 2-	1- 1+ 20 2- 2- 10 10 2- 0+ 10 10 30 40 3- 3+ 2+ 2+ 1+ 2+ 1+	12 - 12 - 7 - 24 + 17 o	6 5 4 16 9	Five Quiet 8 9
6 7 8 9 10	0.7 0.5 0.1 0.1 0.0	20 2- 1+ 1+ 10 20 10 1+ 2- 1+ 1- 1- 1- 10 0+ 0+ 0+ 1- 0+ 10	2+ 4- 3- 2+ 20 30 10 3- 10 1- 1- 0+ 0+ 1- 0+ 10 0+ 1- 1- 10	17+ 140 70 5- 50	9 7 4 3 3	10 14 30
11 12 13 14 15	0.2 0.7 0.4 0.1 1.1	0+ 0+ 1- 10 40 3+ 1- 10 4- 2- 1- 1- 1+ 00 00 1- 2- 2- 2+ 1+	1- 1+ 1+ 2- 10 2+ 2+ 3- 1+ 1- 1- 10 1- 0+ 10 1+ 2- 4+ 4- 4+	7+ 17+ 10+ 5+ 210	4 11 6 3 15	Five Disturbed 16 17 19
16 17 18 19 20	1.5 1.1 1.0 1.0 0.2	5+ 4- 5+ 4+ 3+ 3+ 40 30 30 3+ 1+ 1+ 2+ 3+ 40 3- 10 1- 20 2-	50 3+ 4+ 3+ 30 4- 3+ 3- 30 3+ 4- 4+ 3+ 4- 4- 20 1+ 1+ 1+ 20	35- 26+ 23+ 250 11+	35 18 16 17 5	27 28
21 22 23 24 25	0.4 0.2 0.7 0.5	2+ 1+ 10 1- 10 2- 20 10 2- 1+ 2- 20 20 4- 30 2+ 4- 4- 2+ 10	0+ 1o 2o 2o 0+ 1o 2- 1+ 3o 4- 2+ 2o 2o 0+ 2- 2+ 3o 3- 1o 2+	11- 100 18- 17+ 20-	5 5 10 10 12	Ten Quiet 3 8 9
26 27 28 29 30	0.6 1.1 1.3 0.5 0.0	2- 3+ 2+ 20 4- 1+ 00 2- 6- 5- 4+ 3+ 1- 10 2+ 2- 10 2+ 10 0+	2+ 2- 1+ 30 2- 4- 5- 5+ 30 2+ 40 3- 1+ 3- 1+ 2+ 0+ 0+ 00 00	18- 220 300 13+ 5+	9 20 27 7 3	10 11 14 20 21 22 30
Mean:	0.57			Mean:	10	



MORTH ALLANTIC, NORTH PACIFIC

SEPTEMBER 1965


				10001005			NOR	TH AT	LANTI	С			NOR	TH	PA	CIFIC			GEOMA	GNE TIC	INDI	CES	
SEP 1965		NDICES		AOVANCE FORECASTS (Jc - REPORTS)		6 - HO	OURLY Y FICUR	ES	1.	UE O	ABOUT		QUA		FIGU			FR	A	FA	Ks	ł	Ası
	NORTH ATLANTIC	HUNTI	AVERAGE HIGH LATITUDE	FOR WHOLE DAY	00 TD 06	06 T0	12 10 18	18 T0 24	00	06	12	18	00 T0 06	06 T0 12	12 T0 18	18 T0 24	HALI	F DAY (2)	08- SERVED	PRE - OICTED	HALF	DAY (2)	
01 02 03 04 05	60 7- 7- 6+ 60	6 6 6	6 6 6 6	7 7 6 6	60 7- 60 7- 5+	50 6+ 6+ 60 5+	70 70 7- 7- 7-	7- 70 70 7- 7-	6 6 7 7 6	6 6 6 6 5	7 7 7 7	7 7 7 7 7	6 6 6 6	5 6 5 6	6 6 6 6	6 6 6	2 2 0 3 2	2 1 2 3 2	6 4 4 14 8	3 5 7 7 7	2 2 0 3 2	1 1 1 2	4 4 2 18 6
06 07 08 09	6+ 6+ 60 6+ 6+	6 6 6	5 6 6 6	6 6 6	6- 6- 6- 6+	6- 6- 5- 60 5+	7- 7- 7- 7- 7-	7 o 7 ~ 7 ~ 7 ~ 7 ~	6 6 6 7	6 6 6 5 6	7 7 7 7	7 7 7 7 7	6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	2 2 1 1 1 1	3 2 1 1	10 7 3 2 2	7 9 9 5 7	1 1 0 0	2 2 0 0	7 6 2 0
11 12 13 14 15	6+ 6+ 6+ 6+	6 6 6	6 6 6 6	0 6 6	6+ 7- 6+ 60 6+	5+ 60 6- 50	7- 7- 7- 70 7-	7 - 7 - 7 - 7 - 6 0	7 6 6 7 7	6 5 5 6 6	7 7 7 7 7	7 7 7 7 6	7 6 6 6 6	6 6 6 6	6 6 6 6	6 6 6 6	0 2 2 1 2	1 2 1 1 3	2 10 5 2 12	7 7 9 11 11	0 1 1 1 2	1 0 0 2	2 5 3 2 8
16 17 18 19 20	6- 6- 6- 6-	6 6 6	6 6 6 6 6	6 6 6 5	5+ 4+ 6- 50 5+	5 o 4 + 5 + 4 o 5 -	6+ 7- 6+ 7- 6+	5+ 7- 7- 6+ 7-	6 5 5 5 5	4 4 4 5	5 6 7 7 6	6 6 7 7 6	6 6 7 7 6	6 6 7 6	7 7 6 6	6 6 7 6 6	(4) (4) 2 3	3 3 2 1	24 16 11 11	7 5 5 7 15	(5) (4) 2 3 2	(4) 2 3 2 0	47 22 13 15 4
21 22 23 24 25	6+ 6+ 6+ 6+	6 6 6	6 6 6 6	5 6 6 6	6- 6- 60	5+ 6- 6- 6- 5+	7- 7- 70 70	7- 7- 7- 7- 70	5 6 6 6 6	5 5 6 5	7 7 7 6 7	7 7 6 7 7	6 6 6 6	66666	6 6 6	7 6 6 6	2 2 1 3 2	1 1 2 1 2	5 5 6 8 9	11 9 5 3 7	1 1 1 3 2	1 0 2 1 2	2 3 5 9 7
26 27 28 29 30	6 0 6 + 5 - 6 - 6 +	7 6 7 7 7	7 6 6 6 7	6 6 6	6+ 60 4+ 4+ 60	5 o 6 o 3 + 5 o 6 -	7- 70 60 60 7-	6+ 60 5- 6+ 7-	6 6 5 4 6	5 5 3 4 5	7 7 5 7 7	7 7 6 6 7	7 6 7 6	7 6 7 7	7 7 6 7 7	6 6 7 6	2 1 (5) 1 1	2 3 2 2 0	8 12 28 4 3	9 7 5 <u>7</u>	2 1 (5) 2	2 2 3 2 0	7 8 37 8 2
	QUIET		P S U F	24 6 0						11 16 0	24 6 0	23 7 0											
	DISTUR	BED	P S U F	0000					1 2 0 0	3 0 0	0 0 0	0 0 0											

¹⁾ THE AUVANCE $\mbox{\rm JC-FORECASTS}$ are scored against the average high latitude whole-day indices.


²⁾ THE OBSERVED INDICES FOR THE NORTH PACIFIC ARE LOW WEIGHT BECAUSE OF INSUFFICIENT DATA AVAILABLE FOR THEIR PREPARATION.

³⁾ THE PREDICTED ${\sf AFR}$ INDICES ARE ISSUED EACH WEDNESDAY FOR THE COMING SEVEN DAYS. THE VALUE FOR THE FIRST DAY OF EACH PREDICTION PERIOD IS UNDERSCORED.


NORTH ATLANTIC




HIGH LATITUDE




SEPTEMBER 1965



SEPTEMBER 1965





Adapted from Observations by Deutsches Bundespost

INTERNATIONAL URSIGRAM AND WORLD DAYS SERVICE

OCTOBER 1965

	TIME			₩0	RLOWIDE GEOPI	HYSICAL ALERT
Oct. 1965	OF ISSUE UT	ADVANCE GEOPHYSICAL ALERT	NO.	TYPE	TIMING	ELABORATION
1	0400 2250	Sac Peak, Solar Flare 01/2025	229	Solar Activity	Exists	
2	0400	McMath, Solar Flare 02/1611	230 231	Solar Activity Magnetic Storm	Exists Expected	
3	0400	menach, solal flate 02/1011	232	Color totivitu	Exists	
			233	Solar Activity Magnetic Storm	Expected	
4	0400		234 235	Solar Activity Magnetic Storm	Exists Expected	
5	0400		236 237	Solar Activity Magnetic Storm	Exists Expected	
6	0400		238 239	Solar Activity Magnetic Storm	Exists Expected	
7	0400		240	Solar Activity	Exists	
9	0400		241	Strat Warming *	Exists	Over Mirny-Wilkes region movement unknown
10	0400		242	Strat Warming	Exists	Over Mirny-Wilkes region
11	0400		243	Strat Warming	Exists	Over Mirny-Wilkes region
12	0400 0840	Athens, Solar Flare 12/0703	244	Strat Warming	Exists	Over Wilkes-McMurdo region
13	0400		245	Strat Warming	Exists	Over Wilkes-McMurdo region
14	0400		246	Strat Warming	Exists	Over Mirny-Hallett region
15	0400		247	Strat Warming	Exists	Over Mirny-McMurdo-Hallett region
16	0400		248	Strat Warming	Exists	Wilkes-Hallett region spreading over Antarctica
17	0400		249 250	Magnetic Calm Strat Warming	Exists Exists	Wilkes-Hallett region spreading over Antarctica
18	0400		251	Strat Warming	Continues	Over Antarctica warming strongest McMurdo-Mirny regions
19	0400		252 253	Solar Calm Strat Warming	Exists Exists	Mirny-Vostok-McMurdo region
20	0400		254	Strat Warming	Exists	Vostok-Mirny region
21	0400		255	Strat Warming	Exists	Vostok-Wilkes region
22	0400		256	Strat Warming	Exists	Vostok-Wilkes region
23	0400		257 258	Solar Activity Strat Warming	Exists Exists	Flares Near Vostok
24	0400		259 260	Solar Activity Strat Warming	Exists Exists	Vostok region
25	0400		261 262	Solar Activity Strat Warming	Exists Exists	Wilkes-Mirny-Vostok region
26	0400		263	Strat Warming	Exists	Vostok-McMurdo region
27	0400		264	Strat Warming	Exists	McMurdo spreading over Antarctica
28	0400		265	Strat Warming	Exists	Antarctica
29	0400		266	Strat Warming	Exists	Antarctica
30	0400		267	Strat Warming	Exists	Antarctica
31	0400		268	Strat Warming	Exists	Antarctica



